

Catalogue
2023

 Benelli





DOMINATE

No matter where you are, even in the most extreme environment,
with your Benelli firearm you live the action to the fullest.
Uncompromisingly, endlessly.

 **Benelli**



INDEX

SEMIAUTOMATIC SHOTGUNS

10 RAFFAELLO	
12 Raffaello BE.S.T. Limited Edition	12 GA
14 Raffaello Be Diamond BE.S.T.	12 GA
16 Raffaello De Luxe Power Bore	12 GA
17 Raffaello Power Bore	12 GA
18 Raffaello Black	12,20 GA
19 Raffaello Ethos Silver	12,20, 28 GA
20 Raffaello Ethos Black	12 GA
21 Raffaello Ethos Cordoba	12,20, 28 GA
22 Raffaello Slug	20 GA
23 Raffaello Crio Comfort Left Hand	12 GA
24 Executive	12 GA
26 Raffaello Lord	12 GA
27 Raffaello Lord 20	20 GA

28 BLACK EAGLE	
29 Black Eagle	12,20,28 GA
30 Black Eagle MAX 7	12,28 GA
31 Black Eagle Optifade Marsh	12 GA
SEMIAUTOMATIC SHOTGUN 3,5" SUPER MAGNUM	
28 SUPER BLACK EAGLE 3	
32 SBE 3 Wood	12 GA
33 SBE 3 BE.S.T	12 GA
34 SBE 3	12 GA
35 SBE 3 MAX 7	12 GA
Super Black Eagle 3	
36 Cerakote Tungsten Optifade Timber	12 GA
37 SBE 3 Optifade Marsh	12 GA
38 SBE 3 Mossy Oak Bottomland	12 GA
39 SBE 3 Optifade Timber	12 GA

40 VINCI	
41 Vinci Black	12 GA
42 Vinci MAX 7	12 GA
SEMIAUTOMATIC SHOTGUN 3,5" SUPER MAGNUM	
40 SUPER VINCI	
43 Super Vinci Black	12 GA
44 Super Vinci MAX 7	12 GA
45 Super Vinci Optifade Marsh	12 GA

46 M2	
48 M2 Black	12,20 GA
50 M2 MAX 7	12,20 GA
52 M2 ComforTech Left Hand	12,20 GA
52 M2 ComforTech Camo MAX 5 Left Hand	12 GA
53 M2 Cerakote Tungsten Black	12 GA
54 M2 Cerakote Tungsten Optifade Timber	12 GA
55 M2 Wood	12 GA
56 MONTEFELTRO	
58 Montefeltro Wood	12,20 GA
60 Montefeltro Black	12,20 GA
62 Mygra	20 GA
64 Beccaccia Supreme	12,20 GA
65 Ultra Light	12,20 GA
66 Montefeltro Silver	12,20 GA
67 Duca di Montefeltro Left Hand	12 GA

OVER & UNDER

68 828 U	
70 828 U Steel BE.S.T. Black	12 GA
72 828 U Silver	12 GA
73 828 U Silver	20 GA
74 828 U Black	12 GA
75 828 U Beccaccia	12,20 GA

BOLT ACTION

76 LUPO HPR	
78 Lupo HPR BE.S.T.	
80 LUPO	
82 Lupo BE.S.T. Wood	
84 Lupo BE.S.T. Black	
86 Lupo BE.S.T. Grey Elevated II	
88 Lupo BE.S.T. Open Country	

SEMAUTOMATIC RIFLES	PUMPS ACTION	SPORT	SEMAUTOMATIC SHOTGUN	PUMP ACTION
90 ENDURANCE	108 NOVA	114 IPSC SHOTGUN	126 VINCI	126 NOVA
92 Endurance Pro Wood	109 Nova Black <small>12, 20 GA</small>	115 Nova Speed <small>12 GA</small>	127 Vinci Tactical <small>12 GA</small>	138 Nova H2O <small>12 GA</small>
94 Endurance BE.S.T. Comfortech 3	110 Nova MAX 7 <small>12 GA</small>	116 M2 Speed <small>12 GA</small>	126 M2	139 Supernova Tactical <small>12 GA</small>
96 Endurance Wood	108 SUPERNOVA	117 M2 SP <small>12 GA</small>	128 M2 Tactical <small>12 GA</small>	PISTOLS
97 Endurance Comfortech 3	111 Supernova Black <small>12 GA</small>	100 SPORTING / COMPAK SPORTING	126 M3	126 MP
98 Endurance Comfortech 3 Battue	112 Supernova MAX 7 <small>12 GA</small>	119 828 U Sport <small>12 GA</small>	129 M3 Black <small>12 GA</small>	140 MP 90 S World Cup
100 Endurance BE.S.T. Limited Edition		120 Raffaello Ethos Sport <small>12, 20, 28 GA</small>	130 M3 Tactical <small>12 GA</small>	140 MP 95 E
102 ARGO E		121 Raffaello Ethos Super Sport <small>12, 20, 28 GA</small>	131 M3 Kromo <small>12 GA</small>	126 AIR PRESSED KITE (Free Sales)
104 Argo E Prestige		122 Raffaello Super Sport <small>12, 20 GA</small>	126 M4	141 Kite
105 Argo E Amazonia Green		123 Raffaello Super Sport World Cup <small>12 GA</small>	132 M4 T-Pro Brown <small>12 GA</small>	141 Kite Young
105 Argo E Sequoia Brown		124 Raffaello Sport II <small>12, 20 GA</small>	134 M4 T-Pro <small>12 GA</small>	
106 R1		125 Vinci Super Sport <small>12 GA</small>	135 M4 Black <small>12 GA</small>	
107 MR1			136 M4 Cerakote Silver <small>12 GA</small>	
107 MR1			137 M4 Cerakote Brown <small>12 GA</small>	

EXTRA**6 WARRANTY****8 TECHNOLOGIES****142 BARRELS****148 STEEL SHOT****KEY**

WEIGHT: The value may vary depending on the specific weight of the wood

CB: With rib

SB: Without rib

KND: Knurled

L.O.P.: Distance from recoil pad to trigger

TRIGGER PULL: The value is intended as average value

10
—
25

THE BEST WARRANTY
IN THE WORLD

SAFE VALUE

To protect the value of your Benelli,
we offer you the best.

A warranty service never seen before.

Every firearm is guaranteed for:

10 Years on mechanical parts

25 Years against corrosion

for components treated with **BE.S.T.** technology

REGISTERING THE WARRANTY IS EASY



Within one month from the purchase
of your Benelli, visit benelli.it



Insert your data
in the Reserved Area



Once logged-in with your credentials,
register the warranty

Enter Benelli's world and find out all the plus for you.

Your passion deserves a first-class service.



TECHNOLOGIES



Essential design, simple construction and mechanical precision guarantee maximum strength and reliability.



In-Line Inertia Driven System included in Vinci and Super Vinci features a shorter bolt head. The shutter cycle takes place in axis with the barrel for a perfect distribution of forces, impeccable balance and minimization of muzzle climb.



The gas recovery ARGO E SYSTEM has been revamped in terms of construction geometry, materials and movements. The new piston guarantees perfect operation and the new components made of special material are resistant to corrosion.



The Gas Operated ARGO E SYSTEM mechanism is synonymous with reliability, resistance and safety, it ensures shooting accuracy and durability – tested and approved by the Marines.



The patented locking system consists of a plate that perfectly seals the single-piece unit. The steel locking system is durable and guarantees the elimination of any mechanical stress on the receiver.



The SpeedBolt system is characterised by a bolt that features a tungsten insert: this makes the cycle faster and the shotgun easier to handle, with less recoil leading to less uplift.



The innovative progressive recoil absorption system kicks in gradually according to cartridge loading. This is the true essence of comfort in wood, an invisible, yet highly sensitive system.



ComfortTech 3 is the most efficient Full Comfort system in the world. With its improved geometry, ComforTech 3 significantly reduces the perception of recoil. The re-target is faster and control is optimised in each phase to ensure total comfort for the user.



The ComforTech Plus System on Vinci and Super Vinci reduces barrel detection and accelerates target recovery.



The ComforTech System is the patent that can offer superior shooting performance in terms of reducing recoil, muzzle climb, alignment and better target acquisition on the following shot.



Benelli's technological evolution has generated the new CombTech comb to reduce the impact on your face. The combination of an elastic structure with an ergonomic system capable of adapting to the shape of your cheekbone and returning instantly to the original position absorbs the impact on your cheek.



Progressive Balancing is the patent Benelli that allows to adjust the firearm's barycenter position simply and precisely.



The firearm adapts to your body thanks to the combination of drops, cast, L.O.P. (Length of Pull), comb and trigger reach spacer, if present.

The Power Bore cryogenic barrel with selected bore and very small diameters ensures greater speed and target penetration. Power Bore Crio: the ideal bore for a perfect hit and to be sure you'll never miss the target.

TECHNOLOGIES

B.E.S.T.

Benelli Surface Treatment makes the barrel extremely hard and adds resistance to corrosion, without the need for maintenance with protective oil. Unlike the current coatings on the market that become easily susceptible to rust, the B.E.S.T. technology ensures total protection of the barrel. The resulting surface, totally anti-reflective, stands out for its precious aesthetics, coloured total black.

Cryo SYSTEM

Cryogenic treatment ensures superior ballistic performance thanks to the vibration and expansion of the barrel evenly on firing. The pattern provided by a cryogenic barrel is wider, more regular and more uniform.

Free Floating Barrel

The barrel forms a single unit with the receiver cover and operates coaxially to the new Vinci Inertia Bolt System. Perfect balance for unprecedented accuracy.

EasyAim

The new carbon fibre rib has been restyled and now features a sight that accommodates a high-brightness optical fibre..

AMPLIATOR SYSTEM

The exclusive dispensing system, unrivalled in distances between 10 and 20 meters, guarantees a broader and more densely pattern.

WOOD Touch

Selected walnut wood embellished by the exclusive "Wood Touch" checkering with a triangle pattern guarantees secure grip under all conditions.

elegance System

The specific and special treatment that guarantees tough resistance to the most adverse climatic conditions and makes the wood more brilliant.

WOODFX

Technology that enhances and emphasises the wood grain, lending a shiny refined look to stock and fore-end.

AirTouch™

A new generation checkering that thanks to the aerodynamics of the small spheres ensures superior grip and allows for quick shoulder for a firm, effective and comfortable grip.

WINDOW SYSTEM

This patented system allows you to see all cartridges present in the magazine through a slot in the lower section of the fore-end. The advantages in terms of safety and functionality are considerable. A bright red signal indicates that the firearm is loaded.

OSUBMOA

Every Benelli bolt action is accuracy-tested to guarantee it performs sub-M.O.A. accuracy, using quality factory ammunition.

Benelli



SEMIAUTOMATIC SHOTGUN

Raffaello

SEMIAUTOMATIC SHOTGUN

12 Raffaello BE.S.T. Limited Edition	12 GA	21 Raffaello Ethos Cordoba	12,20, 28 GA
14 Raffaello Be Diamond BE.S.T.	12 GA	22 Raffaello Slug	20 GA
16 Raffaello De Luxe Power Bore	12 GA	23 Raffaello Crio Comfort Left Hand	12 GA
17 Raffaello Power Bore	12 GA	24 Executive	12 GA
18 Raffaello Black	12,20 GA	26 Raffaello Lord	12 GA
19 Raffaello Ethos Silver	12, 20, 28 GA	27 Raffaello Lord 20	20 GA
20 Raffaello Ethos Black	12 GA		

RAFFAELLO BE.S.T. LIMITED EDITION

SEMAUTOMATIC SHOTGUN



RAFFAELLO BE.S.T. LIMITED EDITION **NEW**

SEMAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIOS
A0611100		76 mm - 3"	365	3 (76); 4 (70)	61/24 ♦					
A0611200		76 mm - 3"	365	3 (76); 4 (70)	65/26 ♦	Pistol with Progressive Comfort	BE.S.T. glossy	Ventilated carbon fiber rib flat	Intermediate metallic sight and long red fibre-optic	2 KND 100 + 20 mm F(*)/IM (**) + 3 INTERNAL 100 mm M (***)/IC (****)/CYL (*****)
A0611300	12	76 mm - 3"	365	3 (76); 4 (70)	70/28 ♦					
A0611400		76 mm - 3"	365	3 (76); 4 (70)	76/30 ♦					

Weight (± 100g): 2950

Recoil Pad: Polyurethane

Stock and Forend finishing: Grade 4 Oil Walnut Wood

Trigger Pull (Kg): 2.5



RAFFAELLO BE DIAMOND BE.S.T.

SEMAUTOMATIC SHOTGUN



RAFFAELLO BE DIAMOND BE.S.T.

SEMIAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIOS
A0473900		76 mm - 3"	365	3 (76); 4 (70)	65/26 ◊					
A0474000	12	76 mm - 3"	365	3 (76); 4 (70)	70/28 ◊	Pistol with Comfortech 3 system	BE.S.T. glossy	Ventilated carbon fibre flat	Intermediate metallic sight and long red fibre-optic	5 INTERNAL 70 mm F (*); IM (**); M (***) IC (****); CYL (*****)
A0474100		76 mm - 3"	365	3 (76); 4 (70)	76/30 ◊					

Weight (± 100g): 2900

Recoil Pad: Polyurethane

Stock and Forend finishing: Black Techno-polymer

Comb: Combttech

Trigger Pull (Kg): 2.5



Benelli

RAFFAELLO DE LUXE POWER BORE

SEMIAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIOS
A0429600		76 mm - 3"	365	3 (76); 4 (70)	61/24 ♦					
A0429301		76 mm - 3"	365	3 (76); 4 (70)	65/26 ♦					
A0429401	12	76 mm - 3"	365	3 (76); 4 (70)	70/28 ♦	Pistol with Progressive Comfort system	Blued glossy	Ventilated carbon fibre flat	Intermediate metallic sight and long red fibre-optic	5 INTERNAL 70 mm F (*); IM (**); M (**); IC (****); CYL (*****)
A0429800		76 mm - 3"	365	3 (76); 4 (70)	76/30 ♦					
A0429000		76 mm - 3"	350 COMPACT	3 (76); 4 (70)	65/26 ♦					
A0429100		76 mm - 3"	350 COMPACT	3 (76); 4 (70)	70/28 ♦					

Weight (± 100g): 2950

Recoil Pad: Polyurethane

Stock and Forend finishing: Grade 3 Oil Walnut Wood

Comb: Soft Techno Polyurethane

Trigger Pull (Kg): 2.5

RAFFAELLO POWER BORE

SEMAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIOS
A0426900		76 mm - 3"	365	3 (76); 4 (70)	61/24 ⚪					
A0427000		76 mm - 3"	365	3 (76); 4 (70)	65/26 ⚪					
A0427100	12	76 mm - 3"	365	3 (76); 4 (70)	70/28 ⚪	Pistol with Progressive Comfort system	Blued glossy	Ventilated carbon fibre flat	Intermediate metallic sight and long red fibre-optic	5 INTERNAL 70 mm F (*); IM (**); M (***) ; IC (****); CYL (*****)
A0427200		76 mm - 3"	365	3 (76); 4 (70)	76/30 ⚪					
A0439700		76 mm - 3"	350 COMPACT	3 (76); 4 (70)	65/26 ⚪					
A0439800		76 mm - 3"	350 COMPACT	3 (76); 4 (70)	70/28 ⚪					

Weight (± 100g): 2950

Recoil Pad: Polyurethane

Stock and Forend finishing: Grade 3 Oil Walnut Wood

Comb: Soft Techno Polyurethane

Trigger Pull (Kg): 2.5



Benelli

RAFFAELLO BLACK

SEMIAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - Crio	
A0428300	12	76 mm - 3"	365	3 (76); 4 (70)	61/24 ♦	Pistol with Progressive Comfort system	Blued glossy	Ventilated steel flat	Long red fibre optic	5 INTERNAL 70 mm F (*); IM (**); M (***) ; IC (****); CYL (*****)	
A0428000		76 mm - 3"	365	3 (76); 4 (70)	65/26 ♦						
A0428100		76 mm - 3"	365	3 (76); 4 (70)	70/28 ♦						
A0428500		76 mm - 3"	365	3 (76); 4 (70)	76/30 ♦						
A0439900		76 mm - 3"	350 COMPACT	3 (76); 4 (70)	65/26 ♦		Ventilated carbon fibre flat	Intermediate metallic sight and long red fibre-optic			
A0440000		76 mm - 3"	350 COMPACT	3 (76); 4 (70)	70/28 ♦						
A0588900		76 mm - 3"	365	3 (76); 4 (70)	65/26 ♦						
A0589000		76 mm - 3"	365	3 (76); 4 (70)	70/28 ♦						

Weight (± 100g): 12 ga 3100 / 20 ga 2600

Recoil Pad: Polyurethane

Stock and Forend finishing: 12 ga Grade 2 Oil Walnut Wood / 20 ga Walnut Wood with WoodFx

Comb: Soft Techno Polyurethane

Trigger Pull (Kg): 2.5

RAFFAELLO ETHOS SILVER

SEMAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIOS
A0433400	12	76 mm - 3"	365	3 (70/76)	65/26					
A0433500		76 mm - 3"	365	3 (70/76)	70/28					
A0457200		76 mm - 3"	365	3 (76); 4 (70)	61/24 ♦	Pistol with Progressive Comfort system	Blued glossy	Ventilated carbon fibre flat	Intermediate metallic sight and long red fibre-optic	5 INTERNAL 70 mm F (*); IM (**); M (***); IC (****); CYL (*****)
A0457300	20	76 mm - 3"	365	3 (76); 4 (70)	65/26 ♦					
A0457400		76 mm - 3"	365	3 (76); 4 (70)	70/28 ♦					
A0485600	28	76 mm - 3"	365	2 (70/76)	65/26 ♦				Intermediate metallic sight and long fluorescent red	

Weight (± 100g): 12 ga 2950 / 20 ga 2600 / 28 ga 2460

Recoil Pad: Polyurethane

Stock and Forend finishing: Walnut Wood with Wood Fx

Comb: Soft Techno Polyurethane

Trigger Pull (Kg): 2.5



RAFFAELLO ETHOS BLACK

SEMAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIOS
A0433600	12	76 mm - 3"	365	3 (76); 4 (70)	65/26	Pistol with Progressive Comfort system	Blued glossy	Ventilated carbon fibre flat	Intermediate metallic sight and long red fibre-optic	5 INTERNAL 70 mm F (*); IM (**); M (**); IC (****); CYL (*****)
A0433700		76 mm - 3"	365	3 (76); 4 (70)	70/28					

Weight (± 100g): 12 ga 3100

Recoil Pad: Polyurethane

Stock and Forend finishing: 12 ga Grade 2 Vernish Walnut Wood

Comb: Soft Techno Polyurethane

Trigger Pull (Kg): 2.5



RAFFAELLO ETHOS CORDOBA

SEMIAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIOS
A0559800	12	76 mm - 3"	365	3 (76); 4 (70)	70/28					
A0559900		76 mm - 3"	365	3 (76); 4 (70)	76/30	Pistol with Comfortech 3 system	BE.S.T. matt ported	Ventilated carbon fibre step	Intermediate metallic sight and short fluorescent red	5 KND 70 + 20 mm F (*); IM (**); M (***) ; IC (****); CYL (*****)
A0560400	20	76 mm - 3"	365	3 (76); 4 (70)	70/28					
A0560600	28	76 mm - 3"	365	2 (70/76)	70/28					

Weight (± 100g): 12 ga 2950 / 20 ga 2650 / 28 ga 2500

Recoil Pad: Polyurethane

Stock and Forend finishing: Black Techno-polymer

Comb: Combtouch

Trigger Pull (Kg): 2.5



RAFFAELLO SLUG

SEMIAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIOS
A0249600	20	76 mm - 3"	363	3 (76); 4 (70)	56/22 Slug	Montecarlo	Blued glossy	Carbon fibre short rib	Adj front sight red fibre-optic	-

Weight (± 100g): 2700

Recoil Pad: Gel

Stock and Forend finishing: Grade 3 Oil Walnut Wood Super

Trigger Pull (Kg): 2.5

RAFFAELLO CRIOCOMFORT LEFT HAND

SEMAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIOS
A0387901	LH	76 mm - 3"	365	3 (76); 4 (70)	65/26	◆				
A0388001	LH	76 mm - 3"	365	3 (76); 4 (70)	70/28	◆	Pistol with ComforTech system	Blued glossy	Ventilated carbon fibre flat	Intermediate metallic sight and long red fibre-optic
A0388101	LH	76 mm - 3"	365	3 (76); 4 (70)	76/30	◆				2 INTERNAL 70 mm M (**); CYL (*****)

Weight (± 100g): 3000

Recoil Pad: Gel

Stock and Forend finishing: Black Techno-polymer

Comb: Gel

Trigger Pull (Kg): 2.5



EXECUTIVE

SEMAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIOS
A0040902	12	76 mm - 3"	360	3 (76); 4 (70)	70/28 ◊	Pistol	Blued glossy	Ventilated steel flat	Short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (***) IC (****); CYL (*****)
A0399800		76 mm - 3"	360	3 (76); 4 (70)	76/30 ◊					

Weight (± 100g): 3600

Recoil Pad: Oil Walnut Wood

Stock and Forend finishing: Grade 5 Exhibition Walnut Wood

Trigger Pull (Kg): 2.5

EXECUTIVE

SEMAUTOMATIC SHOTGUN



ADDITIONAL ENGRAVING

CODE

EXECUTIVE ENGRAVING 2

B0014303



ADDITIONAL ENGRAVING

CODE

EXECUTIVE ENGRAVING 1

B0014103

RAFFAELLO LORD

SEMIAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	Magazine (2 with limiter)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIOS
A0531400		76 mm - 3"	365	3 (76); 4 (70)	65/26 ♦					
A0531500	12	76 mm - 3"	365	3 (76); 4 (70)	70/28 ♦	Pistol	Blued glossy	Ventilated carbon fibre flat	Intermediate metallic sight and long red fibre-optic	2 INTERNAL 70 mm M (**); CYL (*****)
A0531600		76 mm - 3"	365	3 (76); 4 (70)	76/30 ♦					

Weight (± 100g): 3100

Recoil Pad: Wood

Stock and Forend finishing: Leather coated Walnut Wood

Comb: Leather

Trigger Pull (Kg): 2.5

RAFFAELLO LORD 20

SEMAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	Magazine (2 with limiter)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIOS
A0384001	20	76 mm - 3"	365	3 (76); 4 (70)	65/26 ♦	Pistol	Blued matt	Ventilated carbon fibre flat	Intermediate metallic sight and long red fibre-optic	2 INTERNAL 70 mm M (**); CYL (****)
A0384101		76 mm - 3"	365	3 (76); 4 (70)	70/28 ♦					

Weight (± 100g): 2580

Recoil Pad: Wood

Stock and Forend finishing: Leather coated Walnut Wood

Trigger Pull (Kg): 2.5



BLACK EAGLE SUPER BLACK EAGLE 3



SEMIAUTOMATIC SHOTGUN

28 BLACK EAGLE

- | | |
|----------------------------------|----------------|
| 29 Black Eagle | 12,20,28
GA |
| 30 Black Eagle MAX 7 | 12,28
GA |
| 31 Black Eagle
Optifade Marsh | 12 GA |

SEMIAUTOMATIC SHOTGUN 3,5" SUPER MAGNUM

28 SUPER BLACK EAGLE 3

- | | |
|--------------------------|-------|
| 32 SBE 3 Wood | 12 GA |
| 33 SBE 3 BE.S.T | 12 GA |
| 34 SBE 3 | 12 GA |
| 35 SBE 3 MAX 7 | 12 GA |
| Super Black Eagle 3 | |
| 36 Cerakote Tungsten | 12 GA |
| Optifade Timber | |
| 37 SBE 3 Optifade Marsh | 12 GA |
| 38 SBE 3 Mossy Oak | 12 GA |
| Bottomland | |
| 39 SBE 3 Optifade Timber | 12 GA |

BLACK EAGLE

SEMAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIOS
A0569200		76 mm - 3"	365	3 (70/76)	65/26 ♦					
A0569300	12	76 mm - 3"	365	3 (70/76)	70/28 ♦					
A0569400		76 mm - 3"	365	3 (70/76)	76/30 ♦					
A0571800		76 mm - 3"	365	3 (70/76)	65/26 ♦	Pistol with Comfortech 3 system	Blued matt	Ventilated steel step	Long red fibre-optic	2 KND 70 + 20mm M (**); IC (****) + 3 INTERNAL 70mm F (*); IM (**); CYL (*****)
A0571900	20	76 mm - 3"	365	3 (70/76)	70/28 ♦					
A0608200		76 mm - 3"	365	2 (70/76)	65/26					
A0608300	28	76 mm - 3"	365	2 (70/76)	70/28			Ventilated carbon fibre step		

Weight (± 100g): 12 ga 3100 / 20 ga 2650 / 28 ga 2550

Recoil Pad: Polyurethane

Stock and Forend finishing: Black Techno-polymer

Comb: Combtouch

Trigger Pull (Kg): 2.5



BLACK EAGLE MAX 7 NEW

SEMIAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - Crio
A0632000	12	76 mm - 3"	365	3 (70/76)	70/28 ⚡		Camo MAX 7 - Ventilated steel step			
A0632100		76 mm - 3"	365	3 (70/76)	76/30 ⚡	Pistol with Comfortech 3 system	Blued matt coated camo MAX 7		Long red fibre-optic	2 KND 70 + 20mm M (**); IC (****); + 3 INTERNAL 70mm F (*); IM (**); CYL (****)
A0633100	28	76 mm - 3"	365	2 (70/76)	65/26		Ventilated carbon fibre step			
A0633200		76 mm - 3"	365	2 (70/76)	70/30					

Weight (± 100g): 12 ga 3100 / 28 ga 2550

Recoil Pad: Polyurethane

Stock and Forend finishing: Camo MAX 7 Techno-polymer

Comb: Combtech

Trigger Pull (Kg): 2.5



BLACK EAGLE OPTIFADE MARSH

SEMAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - Crio
A0569900	12	76 mm - 3"	365	3 (70/76)	70/28 ♦	Pistol with Comfortech 3 system	Camo Optifade Marsh	Camo Optifade Marsh - Ventilated steel step	Long red fibre-optic	2 KND 70 + 20mm M (**); IC (****) + 3 INTERNAL 70mm F (*); IM (**); CYL (*****)
A0570000	12	76 mm - 3"	365	3 (70/76)	76/30 ♦					

Weight (± 100g): 3100

Recoil Pad: Polyurethane

Stock and Forend finishing: Camo Optifade Marsh Techno-polymer

Comb: Combttech

Trigger Pull (Kg): 2.5



Benelli

SUPER BLACK EAGLE 3 WOOD

SEMIAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - Crio
A0525800	12	89 mm - 3.5"	365	2 (89); 3 (70/76)	70/28 ⚪	Pistol with progressive Comfort System	Blued glossy	Ventilated steel step	Long fluorescent red	2 KND 70 + 20mm M (**); IC (****) + 3 INTERNAL 70mm F (*); IM (**); CYL (*****)
A0494400		89 mm - 3.5"	365	2 (89); 3 (70/76)	70/28					

Weight (± 100g): 3300

Recoil Pad: Polyurethane

Stock and Forend finishing: Wood Fx Walnut Wood

Comb: Soft Techno Polyurethane

Trigger Pull (Kg): 2.5



SUPER BLACK EAGLE 3 BE.S.T.

SEMAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIOS
A0574900		89 mm - 3.5"	365	2 (89); 3 (70/76)	65/26 ♦					
A0575000	12	89 mm - 3.5"	365	2 (89); 3 (70/76)	70/28 ♦	Pistol with Comfortech 3 system	BE.S.T. matt	Ventilated carbon fibre step	Long red fibre-optic	2 KND BE.S.T. 70 + 20mm M (**); IC (****)+ 3 INTERNAL 70mm F (*); IM (**); CYL (*****)
A0575100		89 mm - 3.5"	365	2 (89); 3 (70/76)	76/30 ♦					

Weight (± 100g): 3200

Recoil Pad: Polyurethane

Stock and Forend finishing: Black Techno-polymer

Comb: Combtouch

Trigger Pull (Kg): 2.5

BE.S.T. Components (matt): upper receiver, bolt, bolt handle, safety button, barrel, knurled chokes



SUPER BLACK EAGLE 3

SEMAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/in)	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - Crio
A0507000		89 mm - 3.5"	365	2 (89); 3 (70/76)	65/26 ⚪					
A0470700		89 mm - 3.5"	365	2 (89); 3 (70/76)	65/26					
A0505300		89 mm - 3.5"	365	2 (89); 3 (70/76)	70/28 ⚪					
A0470800	12	89 mm - 3.5"	365	2 (89); 3 (70/76)	70/28	Pistol with Comfortech 3 system	Blued matt	Ventilated steel step	Long red fibre - optic	2 KND 70 + 20mm M (**); IC (****) + 3 INTERNAL 70mm F (*); IM (**); CYL (*****)
A0495500 LH		89 mm - 3.5"	365	2 (89); 3 (70/76)	65/26					
A0525500 LH		89 mm - 3.5"	365	2 (89); 3 (70/76)	70/28 ⚪					
A0495600 LH		89 mm - 3.5"	365	2 (89); 3 (70/76)	70/28					

Weight (± 100g): 3200

Recoil Pad: Polyurethane

Stock and Forend finishing: Black Techno-polymer

Comb: Combtouch

Trigger Pull (Kg): 2.5



SUPER BLACK EAGLE 3 MAX 7 **NEW**

SEMAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIOS
NEW A0631200		89 mm - 3.5"	365	2 (89); 3 (70/76)	65/26 ♦					
NEW A0631300	12	89 mm - 3.5"	365	2 (89); 3 (70/76)	70/28 ♦	Pistol with ComforTech 3 system	Blued matt coated camo MAX 7	Camo MAX 7 - Ventilated steel step	Long red fibre-optic	2 KND 70 + 20mm M (**); IC (****); + 3 INTERNAL 70 mm F (*); IM (**); CYL (*****)
A0631500	LH	89 mm - 3.5"	365	2 (89); 3 (70/76)	70/28 ♦					

Weight (± 100g): 3200

Recoil Pad: Polyurethane

Stock and Forend finishing: Camo Realtree MAX 7 Techno-polymer

Comb: Combtech

Trigger Pull (Kg): 2.5



Benelli

SUPER BLACK EAGLE 3 CERAKOTE TUNGSTEN OPTIFADE TIMBER

SEMAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - Crio
A0511100	12	89 mm - 3.5"	365	2 (89); 3 (70/76)	70/28	Pistol with Comfortech 3 system	Cerakote Tungsten	Ventilated steel step	Long red fibre-optic	5 KND 70 + 20 mm F (*); IM (**); M (***); IC (****); CYL (*****)

Weight (± 100g): 3200

Recoil Pad: Polyurethane

Stock and Forend finishing: Camo Optifade Timber Techno-polymer

Comb: Combtech

Trigger Pull (Kg): 2.5



SUPER BLACK EAGLE 3 OPTIFADE MARSH

SEMIAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - Crio
A0496100	12	89 mm - 3.5"	365	2 (89); 3 (70/76)	70/28	Pistol with Comfortech 3 system	Camo Optifade Marsh	Camo Optifade Marsh - Ventilated steel step	Long red fibre-optic	2 KND 70 + 20mm M (**); IC (****); + 3 INTERNAL 70 mm F (*); IM (**); CYL (*****)

Weight (± 100g): 3200

Recoil Pad: Polyurethane

Stock and Forend finishing: Camo Optifade Marsh Techno-polymer

Comb: Combtech

Trigger Pull (Kg): 2.5



Benelli

SUPER BLACK EAGLE 3 MOSSY OAK BOTTOMLAND

SEMIAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - Crio
A0483400	12	89 mm - 3.5"	365	2 (89); 3 (70/76)	65/26	Pistol with Comfortech 3 system	Camo Mossy Oak Bottomland - Ventilated steel step	Long fluorescent red	2 KND 70 + 20mm M (**); IC (****); + 3 INTERNAL 70 mm F (*); IM (**); CYL (****)	
A0483500	12	89 mm - 3.5"	365	2 (89); 3 (70/76)	70/28					

Weight (± 100g): 3200

Recoil Pad: Polyurethane

Stock and Forend finishing: Camo Mossy Oak Bottomland Techno-polymer

Comb: Combtouch

Trigger Pull (Kg): 2.5

SUPER BLACK EAGLE 3 OPTIFADE TIMBER

SEMAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - Crio
A0483200	12	89 mm - 3.5"	365	2 (89); 3 (70/76)	65/26	Pistol with Comfortech 3 system	Camo Optifade Timber	Camo Optifade Timber - Ventilated steel step	Long fluorescent red	2 KND 70 + 20mm M (**); IC (****); + 3 INTERNAL 70 mm F (*); IM (**); CYL (*****)
A0483300		89 mm - 3.5"	365	2 (89); 3 (70/76)	70/28					

Weight (± 100g): 3200

Recoil Pad: Polyurethane

Stock and Forend finishing: Camo Optifade Timber Techno-polymer

Comb: Combtech

Trigger Pull (Kg): 2.5



**SEMIAUTOMATIC SHOTGUN****40 VINCI**

41 Vinci Black

12 GA

42 Vinci MAX 7

12 GA

**SEMIAUTOMATIC SHOTGUN
3,5" SUPER MAGNUM****40 SUPER VINCI**

43 Super Vinci Black

12 GA

44 Super Vinci MAX 7

12 GA

45 Super Vinci Optifade
Marsh

12 GA



VINCI BLACK

SEMAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIOS
A0401100		76 mm - 3"	365	3 (70/76)	61/24	◊				
A0383100		76 mm - 3"	365	3 (70/76)	65/26	◊				
A0383200	12	76 mm - 3"	365	3 (70/76)	70/28	◊	Pistol with Comfortech Plus system	Blued glossy	Ventilated steel flat	Long red fibre-optic
A0388800		76 mm - 3"	365	3 (70/76)	76/30	◊				
A0413200		76 mm - 3"	365	3 (76); 4 (70)	61/24 Slug Crio			Carbon fibre short	Adj front sight and green fibre-optic	-

Weight (± 100g): 3150

Recoil Pad: Polyurethane

Stock and Forend finishing: Black Techno-polymer

Comb: Soft Techno Polyurethane

Trigger Pull (Kg): 2.5



VINCI MAX 7 NEW

SEMAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - Crio
A0634400	12	76 mm - 3"	365	3 (70/76)	65/26	Pistol with ComforTech Plus system	Blued matt coated camo MAX 7	Camo MAX 7 - Ventilated steel step	Intermediate metallic sight and short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (**); IC (****); CYL (*****)
A0634500		76 mm - 3"	365	3 (70/76)	70/28					

Weight (± 100g): 3150

Recoil Pad: Polyurethane

Stock and Forend finishing: Camo MAX 7 Techno-polymer

Comb: Soft Techno Polyurethane

Trigger Pull (Kg): 2.5



SUPER VINCI BLACK

SEMAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - Crio
A0389000		89 mm - 3.5"	365	2 (89); 3 (70/76)	65/26	Pistol with Comfortech Plus system	Blued matt	Ventilated steel step	Intermediate metallic sight and short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (***) ; IC (****); CYL (*****)
A0389100	12	89 mm - 3.5"	365	2 (89); 3 (70/76)	70/28					
A0408300		89 mm - 3.5"	365	2 (89); 3 (70/76)	76/30					

Weight (± 100g): 3150

Recoil Pad: Polyurethane

Stock and Forend finishing: Black Techno-polymer

Comb: Soft Techno Polyurethane

Trigger Pull (Kg): 2.5



SUPER VINCI MAX 7 **NEW**

SEMIAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - Crio
A0634800		89 mm - 3.5"	365	2 (89); 3 (70/76)	65/26					
A0634900	12	89 mm - 3.5"	365	2 (89); 3 (70/76)	70/28	Pistol with ComforTech Plus system	Blued matt coated camo MAX 7	Camo MAX 7 - Ventilated steel step	Intermediate metallic sight and short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (**); IC (***) ; CYL (****)
A0635000		89 mm - 3.5"	365	2 (89); 3 (70/76)	76/30					

Weight (± 100g): 3150

Recoil Pad: Polyurethane

Stock and Forend finishing: Camo MAX 7 Techno-polymer

Comb: Soft Techno Polyurethane

Trigger Pull (Kg): 2.5



SUPER VINCI OPTIFADE MARSH

SEMAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - Crio
A0419800	12	89 mm - 3.5"	365	2 (89); 3 (70/76)	70/28	Pistol with Comfortech Plus system	Camo Optifade Marsh	Ventilated steel step	Intermediate metallic sight and short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (**); IC (****); CYL (*****)
A0415200	12	89 mm - 3.5"	360	2 (89); 3 (70/76)	76/30					

Weight (± 100g): 3150

Recoil Pad: Polyurethane

Stock and Forend finishing: Camo Optifade Marsh Techno-polymer

Comb: Soft Techno Polyurethane

Trigger Pull (Kg): 2.5




Benelli



M2

SEMIAUTOMATIC SHOTGUN

48 M2 Black	12, 20 GA
50 M2 MAX 7	12, 20 GA
52 M2 Comfortech Left Hand	12, 20 GA
52 M2 Comfortech Camo MAX 5 Left Hand	12 GA
53 M2 Cerakote Tungsten Black	12 GA
54 M2 Cerakote Tungsten Optifade Timber	12 GA
55 M2 Wood	12 GA



M2 BLACK

SEMAUTOMATIC SHOTGUN



M2 BLACK NEW

SEMAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIOS
A0616200		76 mm - 3"	365	3 (70/76)	61/24	◆				
A0645400		76 mm - 3"	365	6 (76); 7 (70)	61/24	◆				
A0616300		76 mm - 3"	365	3 (70/76)	65/26	◆				
A0645500		76 mm - 3"	365	6 (76); 7 (70)	65/26	◆				
A0616400	12	76 mm - 3"	365	3 (70/76)	70/28	◆				
A0645600		76 mm - 3"	365	6 (76); 7 (70)	70/28	◆	Pistol	Ventilated steel step	Long red fibre-optic	5 INTERNAL 70 mm F (*); IM (**); M (***); IC (****); CYL (*****)
A0616900		76 mm - 3"	365	3 (70/76)	76/30	◆				
A0626200		76 mm - 3"	337 COMPACT	3 (70/76)	65/26	◆				
A0618200		76 mm - 3"	365	3 (70/76)	65/26	◆				
A0618300	20	76 mm - 3"	365	3 (70/76)	70/28	◆				
A0626800		76 mm - 3"	337 COMPACT	3 (70/76)	61/24	◆				

Weight (± 100g): 12 ga 3100 / 20 ga 2700

Recoil Pad: Polyurethane

Stock and Forend finishing: Black Techno-polymer

Trigger Pull (Kg): 2.0



M2 MAX 7

SEMAUTOMATIC SHOTGUN



M2 MAX 7 NEW

SEMAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIOS
A0622700		76 mm - 3"	365	3 (70/76)	65/26 ⚪					
A0622800	12	76 mm - 3"	365	3 (70/76)	70/28 ⚪					
A0622900	12	76 mm - 3"	365	3 (70/76)	76/30 ⚪					
A0626500		76 mm - 3"	337 COMPACT	3 (70/76)	65/26 ⚪	Pistol	Blued matt coated camo MAX 7	Ventilated steel step	Long red fibre-optic	5 INTERNAL 70 mm F (*); IM (**); M (***); IC (****); CYL (*****)
A0624200		76 mm - 3"	365	3 (70/76)	65/26 ⚪					
A0624300	20	76 mm - 3"	365	3 (70/76)	70/28 ⚪					
A0627100		76 mm - 3"	337 COMPACT	3 (70/76)	65/26 ⚪					

Weight (± 100g): 12 ga 3100 / 20 ga 2700

Recoil Pad: Polyurethane

Stock and Forend finishing: Camo MAX 7 Techno-polymer

Trigger Pull (Kg): 2.0



M2 COMFORTECH LEFT HAND

SEMAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - Crio
A0164400	LH	76 mm - 3"	365	3 (70/76)	61/24					
A0207800	LH	76 mm - 3"	365	3 (70/76)	61/24	◆				
A0164300	LH	12	76 mm - 3"	365	3 (70/76)	65/26				
A0207900	LH	76 mm - 3"	365	3 (70/76)	65/26	◆				
A0164200	LH	76 mm - 3"	365	3 (70/76)	70/28	Pistol with ComforTech system	Blued matt	Ventilated steel step	Short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (**); IC (****); CYL (*****)
A0208000	LH	76 mm - 3"	365	3 (70/76)	70/28	◆				
A0425301	LH	76 mm - 3"	365	3 (70/76)	61/24					
A0425401	LH	20	76 mm - 3"	365	3 (70/76)	65/26				
A0425501	LH	76 mm - 3"	365	3 (70/76)	70/28				Intermediate metallic sight and short fluorescent red	

M2 COMFORTECH MAX 5 LEFT HAND

CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - Crio
A0215601	12	76 mm - 3"	365	3 (70/76)	70/28	◆				
A0164902		76 mm - 3"	365	3 (70/76)	70/28	Pistol with ComforTech system	Blued matt	Camo MAX 5 Ventilated steel step	Short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (**); IC (****); CYL (*****)

Weight (± 100g): 12 ga 3200 / 20 ga 2650

Recoil Pad: Gel

Stock and Forend finishing: Black Techno-polymer / Camo MAX 5 Techno-polymer

Comb: Gel

Trigger Pull (Kg): 2.5



M2 CERAKOTE TUNGSTEN BLACK

SEMIAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - Crio
A0532500	12	76 mm - 3"	365	3 (70/76)	70/28 ◆	Pistol with ComforTech system	Cerakote Tungsten	Ventilated steel step	Short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (**); IC (****); CYL (*****)

Weight (± 100g): 3200

Recoil Pad: Gel

Stock and Forend finishing: Black Techno-polymer

Comb: Gel

Trigger Pull (Kg): 2.5



M2 CERAKOTE TUNGSTEN OPTIFADE TIMBER

SEMAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - Crio
A0513600	12	76 mm - 3"	365	3 (70/76)	70/28	Pistol with ComforTech system	Cerakote Tungsten	Ventilated steel step	Short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (**); IC (**); CYL (*****)

Weight (± 100g): 3200

Recoil Pad: Gel

Stock and Forend finishing: Camo Optifade Timber Techno-polymer

Comb: Gel

Trigger Pull (Kg): 2.5



M2 WOOD

SEMIAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIOS
A0163600	12	76 mm - 3"	363	3 (70/76)	65/26		Blued matt	Ventilated steel step	Short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (***) ; IC (****); CYL (*****)
A0163500		76 mm - 3"	363	3 (70/76)	70/28	Pistol				

Weight (± 100g): 3350

Recoil Pad: Double ventilated rubber

Stock and Forend finishing: Grade 1 Vernish Walnut Wood

Trigger Pull (Kg): 2.5



Benelli



MONTEFELTRO

SEMIAUTOMATIC SHOTGUN

- | | |
|-------------------------------------|-----------|
| 58 Montefeltro Wood | 12, 20 GA |
| 60 Montefeltro Black | 12, 20 GA |
| 62 Mygra | 20 GA |
| 64 Beccaccia Supreme | 12, 20 GA |
| 65 Ultra Light | 12, 20 GA |
| 66 Montefeltro Silver | 12, 20 GA |
| 67 Duca di Montefeltro
Left Hand | 12 GA |

MONTEFELTRO WOOD

SEMAUTOMATIC SHOTGUN



MONTEFELTRO WOOD

SEMAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIOS
A0585500		76 mm - 3"	365	3 (76); 4 (70)	61/24 ◊					
A0585600		76 mm - 3"	365	3 (76); 4 (70)	65/26 ◊					
A0585700	12	76 mm - 3"	365	3 (76); 4 (70)	70/28 ◊	Pistol	Blued glossy	Ventilated steel flat	Long red fibre-optic	5 INTERNAL 70 mm F (*); IM (**); M (***) ; IC (****); CYL (*****)
A0585800		76 mm - 3"	365	3 (76); 4 (70)	76/30 ◊					
NEW A0614400	20	76 mm - 3"	365	3 (76); 4 (70)	65/26 ◊					
NEW A0614500		76 mm - 3"	365	3 (76); 4 (70)	70/28 ◊					

Weight (± 100g): 12 ga 3000 / 20 ga 2700

Recoil Pad: Polyurethane

Stock and Forend finishing: Vernish Walnut wood

Trigger Pull (Kg): 2.0



MONTEFELTRO BLACK

SEMAUTOMATIC SHOTGUN



MONTEFELTRO BLACK

SEMAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/in)	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIOS
A0580400		76 mm - 3"	360	3 (76); 4 (70)	61/24 ♦					
A0580500		76 mm - 3"	365	3 (76); 4 (70)	65/26 ♦					
A0580600	12	76 mm - 3"	365	3 (76); 4 (70)	70/28 ♦					
A0580700		76 mm - 3"	365	3 (76); 4 (70)	76/30 ♦					
NEW A0625700		76 mm - 3"	337 COMPACT	4 (76); 4 (70)	65/26 ♦	Pistol	Blued glossy	Ventilated steel flat	Long red fibre-optic	5 INTERNAL 70 mm F (*); IM (**); M (***); IC (****); CYL (*****)
NEW A0613800		76 mm - 3"	365	3 (76); 4 (70)	65/26 ♦					
NEW A0613900	20	76 mm - 3"	365	3 (76); 4 (70)	70/28 ♦					
NEW A0626000		76 mm - 3"	337 COMPACT	3 (76); 4 (70)	61/24 ♦					

Weight (± 100g): 12 ga 3000 / 20 ga 2750

Recoil Pad: Polyurethane

Stock and Forend finishing: Black Techno-polymer

Trigger Pull (Kg): 2.0



MYGRA

SEMAUTOMATIC SHOTGUN



MYGRA

SEMAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIOS
A0536600	20	70 mm - 2 ¾"	360	4 (70)	65/26 ⚪	Pistol	Blued matt	Ventilated steel flat	Intermediate metallic and short fluorescent red	1 KND WIDE SHOT 70 + 20 mm + 2 INTERNAL 70 mm M (**); CYL (*****)
A0536700		70 mm - 2 ¾"	360	4 (70)	70/28 ⚪					1 KND LONG SHOT 70 + 20 mm + 2 INTERNAL 70 mm M (**); CYL (*****)

Weight (± 100g): 2650

Recoil Pad: Polyurethane

Stock and Forend finishing: Walnut Wood with Wood Fx

Trigger Pull (Kg): 2.5



BECCACCIA SUPREME

SEMAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIA
A0416800	12	76 mm - 3"	350	2 (70/76)	61/24 ⚪					
A0416900	12	76 mm - 3"	350	2 (70/76)	65/26 ⚪	Pistol	Blued glossy	Ventilated carbon fibre flat	Intermediate metallic sight and long fluorescent green	1 KND 70 + 20 mm AMPLIATOR + 3 INTERNAL 70 mm M (**); IC (***); CYL (****).
A0501500	20	76 mm - 3"	350	2 (70/76)	61/24 ⚪					

Weight (± 100g): 12 ga 2750 / 20 ga 2500

Recoil Pad: Polyurethane

Stock and Forend finishing: 12 ga Walnut Wood with Elegance System / 20 ga Walnut Wood with Wood FX

Trigger Pull (Kg): 2.5



ULTRA LIGHT

SEMAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM."/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - Crio
A0218001	12	76 mm - 3"	360	2 (76); 2 (70)	61/24					
A0241600		76 mm - 3"	360	2 (76); 2 (70)	65/26	Pistol	Blued glossy	Ventilated carbon fibre step	Intermediate metallic sight and short fluorescent red	3 INTERNAL 70 mm F (*); M (**); IC (****)
A0243300	20	76 mm - 3"	360	2 (76); 2 (70)	61/24					

Weight (± 100g): 12 ga 2800 / 20 ga 2450

Recoil Pad: Gel

Stock and Forend finishing: Walnut Wood with Elegance System

Trigger Pull (Kg): 2.5



MONTEFELTRO SILVER

SEMIAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - Crio
A0230000	12	76 mm - 3"	360	3 (76); 4 (70)	70/28	Pistol	Blued glossy	Ventilated steel flat	Intermediate metallic sight and short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (**); IC (***); CYL (****)
A0230101	20	76 mm - 3"	360	3 (76); 4 (70)	65/26					

Weight (± 100g): 12 ga 3150 / 20 ga 2700

Recoil Pad: Polyurethane

Stock and Forend finishing: Grade 3 Oil Walnut Wood

Trigger Pull (Kg): 2.5

DUCA DI MONTEFELTRO LEFT HAND

SEMAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIOS
A0180200	12	76 mm - 3"	365	3 (76); 4 (70)	65/26 ♦	Pistol	Blued glossy	Ventilated steel flat	Short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (**); IC (****); CYL (*****)
A0180000	12	76 mm - 3"	365	3 (76); 4 (70)	70/28 ♦					

Weight (± 100g): 12 ga 3150

Recoil Pad: Polyurethane

Stock and Forend finishing: Grade 3 Oil Walnut Wood

Trigger Pull (Kg): 2.5



Benelli

Benelli



828 U

OVER & UNDER

- | | | |
|----|---------------------------|-----------|
| 70 | 828 U Steel BE.S.T. Black | 12 GA |
| 72 | 828 U Silver | 12 GA |
| 73 | 828 U Silver | 20 GA |
| 74 | 828 U Black | 12 GA |
| 75 | 828 U Beccaccia | 12, 20 GA |

828 U STEEL BE.S.T. BLACK

OVER & UNDER



828 U STEEL BE.S.T. BLACK

OVER & UNDER



GA.	CHAMBER	L.O.P. (± 2 MM)	BARREL LENGTH (CM"/")	TRIGGER PULL (KG) (± 10%)	SAFETY	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIOS
12	76 mm - 3"	345	65/26	❖	1.6 (1st trigger); 1.6 (2nd trigger) Detachable Trigger group	Manual	Pistol with Progressive Comfort system	Blued glossy	Ventilated carbon fibre flat	Short fluorescent red
	76 mm - 3"	345	70/28	❖		Automatic				
	76 mm - 3"	345	65/26	❖		Manual				
	76 mm - 3"	345	70/28	❖		Automatic				
	76 mm - 3"	365	65/26	❖		Manual				
	76 mm - 3"	365	70/28	❖		Automatic				
	76 mm - 3"	365	65/26	❖		Manual				
	76 mm - 3"	365	70/28	❖		Automatic				
	76 mm - 3"	375	65/26	❖		Manual				
	76 mm - 3"	375	70/28	❖		Automatic				
	76 mm - 3"	375	76/30	❖		Manual				
	76 mm - 3"	375	65/26	❖		Automatic				
	76 mm - 3"	375	70/28	❖		Manual				
	76 mm - 3"	345	76/30	❖		Automatic				

Weight (± 100g): 12 ga 3400 / 20 ga 3100

Recoil Pad: Polyurethane

Stock and Fore-end finishing: Grade 5 Oil Walnut Wood

Action finishing: Grade 3 Oil Walnut Wood

Comb: Polyurethane

Ejectors: Automatic, impulsive driven ejection

BE.S.T. Components: Action, Lock Plate, top lever, safety, fore-end iron



828 U SILVER

OVER & UNDER



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	BARREL LENGTH (CM")	TRIGGER PULL (KG) (± 10%)	SAFETY	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - Crio					
A0455000	12	76 mm - 3"	375	65/26	2.5 (1st trigger); 2.5 (2nd trigger) Detachable Trigger group	Manual	Pistol with Progressive Comfort system	Blued glossy	Ventilated carbon fibre flat	Short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (***) ; IC (****); CYL (*****)					
A0455100		76 mm - 3"	375	70/28												
A0473200		76 mm - 3"	375	76/30		Automatic										
A0455800		76 mm - 3"	375	65/26												
A0455900		76 mm - 3"	375	70/28		Manual										
A0473400		76 mm - 3"	375	76/30												
A0497400		76 mm - 3"	365	65/26		Automatic										
A0497500		76 mm - 3"	365	70/28												
A0455400		76 mm - 3"	345 COMPACT	65/26		Automatic										
A0455500		76 mm - 3"	345 COMPACT	70/28												
A0456200		76 mm - 3"	345 COMPACT	65/26		Manual										
A0456300		76 mm - 3"	345 COMPACT	70/28												
A0487900 LH		76 mm - 3"	375	70/28		Automatic										
A0498100 LH		76 mm - 3"	375	70/28												

Weight (± 100g): 2950

Recoil Pad: Polyurethane

Stock and Forend finishing: Grade 3 Oil Walnut Wood

Comb: Polyurethane

Ejectors: Automatic, impulsive driven ejection



828 U SILVER

OVER & UNDER



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	BARREL LENGTH (CM//")	TRIGGER PULL (KG) (± 10%)	SAFETY	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - Crio
A0494000		76 mm - 3"	375	65/26 ♦							
A0494100		76 mm - 3"	375	70/28 ♦							
A0494200		76 mm - 3"	375	76/30 ♦							
A0567500		76 mm - 3"	365	65/26 ♦							
A0567300	20	76 mm - 3"	345 COMPACT	65/26 ♦	1.6 (1st trigger); 1.6 (2nd trigger)	Manual	Pistol with Progressive Comfort system	Blued glossy	Ventilated carbon fibre flat	Short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (**); IC (****); CYL (*****)
A0567600		76 mm - 3"	365	70/28 ♦							
A0567400		76 mm - 3"	345 COMPACT	70/28 ♦	Detachable Trigger group						
A0493800		76 mm - 3"	375	70/28 ♦							
A0493900		76 mm - 3"	375	76/30 ♦		Automatic					

Weight (± 100g): 2700

Recoil Pad: Polyurethane

Stock and Forend finishing: Grade 3 Super Oil Walnut Wood

Comb: Polyurethane

Ejectors: Automatic, impulsive driven ejection



828 U BLACK

OVER & UNDER



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	BARREL LENGTH (CM")	TRIGGER PULL (KG) (± 10%)	SAFETY	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - Crio
A0454800		76 mm - 3"	375	65/26	❖						
A0454900		76 mm - 3"	375	70/28	❖						
A0473300		76 mm - 3"	375	76/30	❖						
A0455600		76 mm - 3"	375	65/26	❖						
A0455700		76 mm - 3"	375	70/28	❖						
A0473500		76 mm - 3"	375	76/30	❖						
A0497200	12	76 mm - 3"	365	65/26	❖	2.5 (1st trigger); 2.5 (2nd trigger)					
A0497300		76 mm - 3"	365	70/28	❖	Detachable Trigger group	Pistol with Progressive Comfort system	Blued glossy	Ventilated carbon fibre flat	Short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (**); IC (****); CYL (*****)
A0455200		76 mm - 3"	345 COMPACT	65/26	❖						
A0455300		76 mm - 3"	345 COMPACT	70/28	❖						
A0456000		76 mm - 3"	345 COMPACT	65/26	❖						
A0456100		76 mm - 3"	345 COMPACT	70/28	❖						
A0488000 LH		76 mm - 3"	375	70/28	❖						
A0498200 LH		76 mm - 3"	375	70/28	❖						

Weight (± 100g): 2950

Recoil Pad: Polyurethane

Stock and Forend finishing: Grade 3 Oil Walnut Wood

Comb: Polyurethane

Ejectors: Automatic, impulsive driven ejection



828 U BECCACCIA

OVER & UNDER



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	BARREL LENGTH (CM/in)	TRIGGER PULL (KG) (± 10%)	SAFETY	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIOS
A0490700		76 mm - 3"	365	61/24 ⚡	2.5 (1st trigger); 2.5 (2nd trigger) Detachable Trigger group	Automatic					3 INTERNAL 70 mm M (**); IC (****); CYL (*****) + 1 Ampliator 70 mm
A0490600	12	76 mm - 3"	365	61/24 ⚡		Manual	Pistol with Progressive Comfort system	Blued matt	Ventilated carbon fibre flat	Long green high visibility front sight	
A0513300		76 mm - 3"	345 COMPACT	61/24 ⚡							
A0581900		76 mm - 3"	365	61/24 ⚡	1.6 (1st trigger); 1.6 (2nd trigger) Detachable Trigger group	Manual					3 INTERNAL 70 mm M (**); IC (****); CYL (*****) + 1 Ampliator KND 70 + 20 mm
A0582000	20	76 mm - 3"	365	65/26 ⚡							
A0582100		76 mm - 3"	365	61/24 ⚡		Automatic					

Weight (± 100g): 12 ga 2800 / 20 ga 2750

Recoil Pad: Polyurethane

Stock and Forend finishing: Walnut Wood with Wood Fx

Comb: Polyurethane

Ejectors: Eco-friendly, manual



Benelli





BOLT ACTION

Lupo
HPR

BOLT ACTION

78 Lupo HPR BE.S.T.



Lupo HPR BE.S.T.

BOLT ACTION



Lupo HPR BE.S.T. NEW

BOLT ACTION



CODE	CALIBER	TWIST RATE (")	L.O.P. (± 2 MM)	BARREL LENGTH (CM /")	LENGTH (MM)	DROP AT HEEL (± 2 MM)	STOCK	TRIGGER PULL (N) (FROM/TO)	BARREL TREATMENT	BOLT	MAGAZINE
A0645300	6,5 MM CREEDMOR	8	350	61/24	1175	40, 45, 50 (mounted), 55	Pistol with Progressive Comfort system	Adj 9,99 up to 20	BE.S.T. matt	BE.S.T.	Double Stack Detachable 5 Rounds
A0640900	.308 WIN	11	350	61/24	1175						

Weight (± 100g): 4250 (.308 WIN) / 4300 (6,5 MM CREEDMOOR)

Recoil Pad: Polyurethane

Stock and Forend finishing: Techno-polymer with brown finishing and embossed textures

Comb: Adjustable in 8 configurations of 5 mm (total variation in height of + 40 mm)

Rail: Picatinny (one piece) 30 M.O.A. (mounted); Picatinny (one piece) 20 M.O.A. (optional)

Bipod configuration: M-LOK on stock (1 connection) and on fore-end (6 connections); ambidextrous quick-detach sling swivels on stock and fore-end

Muzzle Thread: 5/8" - 24 TPI with Benelli exclusively designed muzzle brake mounted

Action: Medium, steel with BE.S.T. treatment matt

Chassis: Aluminium, black anodised

Safety: 2 ambidextrous positions+ bolt lock lever

Removable pistol grip: Interchangeable, hunting (mounted), professional shooting (supplied)

Angle bag rider: Removable

BE.S.T. Components: Bolt, bolt handle, upper receiver, bolt lock lever, barrel and muzzle brake

Accuracy: 0:75 M.O.A. / 5 shots



Benelli



Lupo

BOLT ACTION

82 Lupo BE.S.T. Wood

84 Lupo BE.S.T. Black

86 Lupo BE.S.T.
Grey Elevated II

88 Lupo BE.S.T.
Open Country

Lupo BE.S.T. Wood

BOLT ACTION



Lupo BE.S.T. Wood

BOLT ACTION



CODE	CALIBER	TWIST RATE (")	L.O.P. (± 2 MM)	BARREL LENGTH (CM/")	LENGTH (MM)	DROP AT HEEL (± 2 MM)	STOCK	TRIGGER PULL (N) (FROM/TO)	BARREL TREATMENT	BOLT	MAGAZINE
A0606000	.308 WIN	11	350	56/22	1072						
NEW A0630600		11	350	51/20	1022						Double Stack Detachable 5 Rounds
A0605700	.30-06 SPRG	11	350	56/22	1082						
A0605800	.300 W.M.	11	350	61/24	1132	40, 45, 50 (mounted), 55	Bavarian Montecarlo with Progressive Comfort system	Adj 9,99 up to 20	BE.S.T. glossy	BE.S.T.	Double Stack Detachable 4 Rounds
A0605900	8x57 JS	9,45	350	51/20	1032						Double Stack Detachable 5 Rounds
NEW A0640100	7 REM.MAG.	9,5	350	61/24	1132						Double Stack Detachable 4 Rounds

Weight (± 100g): 3170 (.308 WIN), 3220 (.30-06 SPRG) / 3300 (.300 W.M.) / 3170 (8X57 JS) / 3350 (7 REM. MAG.)

Recoil Pad: Polyurethane

Stock and Fore-end finishing: Walnut Wood with WoodFx

Rail: Picatinny one piece mounted

Bipod attachment: Drilled and Tapped

Muzzle Thread: M14x1

Action: Steel with BE.S.T. Treatment

Chassis: Nature Brown aluminium anodised

Safety: 2 ambidextrous positions+ bolt lock lever

External barrel diameter: 17 mm

BE.S.T. Components: Bolt, bolt handle, upper receiver, bolt lock lever, barrel, muzzle thread cap

Accuracy: sub-M.O.A. / 3 shots



Lupo BE.S.T. Black

BOLT ACTION



Lupo BE.S.T. Black

BOLT ACTION



CODE	CALIBER	TWIST RATE (")	L.O.P. (± 2 MM)	BARREL LENGTH (CM/")	LENGTH (MM)	DROP AT HEEL (± 2 MM)	STOCK	TRIGGER PULL (N) (FROM/TO)	BARREL TREATMENT	BOLT	MAGAZINE
A0568900	.243 WIN	10	350	56/22	1072						
NEW A0617300	6 MM CREEDMOOR	8	350	56/22	1072						
A0581500	6,5 MM CREEDMOOR	8	350	51/20	1022						
A0567900	6,5 MM CREEDMOOR	8	350	61/24	1122						
A0581400	.270 WIN	10	350	51/20	1032						
A0551600	.270 WIN	10	350	56/22	1082						
A0581600	.308 WIN	11	350	51/20	1022	40, 45, 50 (montato), 55	Pistol with Progressive Comfort system	Adj 9,99 up to 20	BE.S.T. glossy	BE.S.T.	Double Stack Detachable 5 Rounds
A0568000	.308 WIN	11	350	56/22	1072						
A0581300	.30-06 SPRG	11	350	51/20	1032						
A0551400	.30-06 SPRG	11	350	56/22	1082						
A0551500	.300 W.M.	11	350	61/24	1132						Double Stack Detachable 4 Rounds
A0584200	8x57 JS	9,45	350	51/20	1032						Double Stack Detachable 5 Rounds
A0609400	7 REM. MAG.	9,5	350	61/24	1132						Double Stack Detachable 4 Rounds
NEW A0611800	6,5 PRC	7,5	350	61/24	1132						

Weight (± 100g): 3180 (.243 WIN, .270 WIN, .308 WIN, .30-06 SPRG) / 3275 (6 MM CREEDMOOR)
/ 3230 (6,5 MM CREEDMOOR, .300 W.M.) / 3130 (8x57 JS) / 3340 (7 REM. MAG.) / 3340 (6,5 PRC)

Recoil Pad: Polyurethane

Stock and Forend finishing: Black Techno-polymer

Comb: Interchangeable Combtech: flat (STD); raised, extra high (optionals)

Rail: Two pieces

Bipod configuration: Drilled and Tapped

Muzzle Thread: M14x1

Action: Medium, Steel with BE.S.T. Treatment

Chassis: Aluminium, black anodised

Safety: 2 ambidextrous positions+ bolt lock lever

External barrel diameter: 17 mm

BE.S.T. Components: Bolt, bolt handle, upper receiver, bolt lock lever, barrel, muzzle thread cap

Accuracy: sub-M.O.A. / 3 shots



Lupo BE.S.T. Grey Elevated II

BOLT ACTION



Lupo BE.S.T. Grey Elevated II NEW

BOLT ACTION



CODE	CALIBER	TWIST RATE (")	L.O.P. (± 2 MM)	BARREL LENGTH (CM")	LENGTH (MM)	DROP AT HEEL (± 2 MM)	STOCK	TRIGGER PULL (N) (FROM/TO)	BARREL TREATMENT	BOLT	MAGAZINE
A0639900	6,5 MM CREEDMOOR	8	350	61/24	1133						
A0640000	.308 WIN	11	350	56/22	1072						Double Stack Detachable 5 Rounds
A0639800	.30-06 SPRG	11	350	56/22	1082	40, 45, 50 (montato), 55	Pistol with Progressive Comfort system	Adj 9,99 up to 20	BE.S.T. Metal Grey matt	BE.S.T.	
A0639700	.300 W.M.	11	350	61/24	1133						Double Stack Detachable 4 Rounds

Weight (± 100g): 3180 (.308 WIN, .30-06 SPRG) / 3230 (6,5 MM CREEDMOOR, .300 W.M.)

Recoil Pad: Polyurethane

Stock and Fore-end finishing: Camo Optifade Elevated II Techno-polymer

Comb: Interchangeable Combtech: flat (STD); raised, extra high (optionals)

Rail: Two pieces

Bipod attachment: Drilled and tapped

Muzzle Thread: M14x1

Action: Medium, steel with BE.S.T. Treatment

Chassis: Camo Optifade Elevated II

Safety: 2 ambidextrous positions+ bolt lock lever

External barrel diameter: 17 mm

BE.S.T. Components: Bolt, bolt handle, upper receiver, bolt lock lever, barrel, muzzle thread cap

Accuracy: sub-M.O.A. / 3 shots



Lupo BE.S.T. OPEN COUNTRY

BOLT ACTION



Lupo BE.S.T. OPEN COUNTRY NEW

BOLT ACTION



CODE	CALIBER	TWIST RATE (")	L.O.P. (± 2 MM)	BARREL LENGTH (CM")	LENGTH (MM)	DROP AT HEEL (± 2 MM)	STOCK	TRIGGER PULL (N) (FROM/TO)	BARREL TREATMENT	BOLT	MAGAZINE
A0648100	6,5 MM CREEDMOOR	8	350	61/24	1133						
A0648200	.308 WIN	11	350	56/22	1072						Double Stack Detachable 5 Rounds
A0648400	.30-06 SPRG	11	350	56/22	1082	40, 45, 50 (mounted), 55	Pistol with Progressive Comfort system	Adj 9,99 up to 20	BE.S.T. matt	BE.S.T.	
A0648300	.300 W.M.	11	350	61/24	1133						Double Stack Detachable 4 Rounds

Weight (± 100g): 3180 (.308 WIN, .30-06 SPRG) / 3230 (6,5 MM CREEDMOOR, .300 W.M.)

Recoil Pad: Polyurethane

Stock and Fore-end finishing: Camo Optifade Open Country Techno-polymer

Comb: Interchangeable Combtech: flat (STD); raised, extra high (optionals)

Rail: Two pieces

Bipod attachment: Drilled and Tapped

Muzzle Thread: M14x1

Action: Medium, steel with BE.S.T. Treatment

Chassis: Camo Optifade Open Country

Safety: 2 ambidextrous positions+ bolt lock lever

External barrel diameter: 17 mm

BE.S.T. Components: Bolt, bolt handle, upper receiver, bolt lock lever, barrel, muzzle thread cap

Accuracy: sub-M.O.A. / 3 shots



Benelli



ENDURANCE

SEMIAUTOMATIC RIFLE

- 92 Endurance Pro Wood
- 94 Endurance BE.S.T. Comfortech 3
- 96 Endurance Wood
- 97 Endurance Comfortech 3
- 98 Endurance Comfortech 3 Battue
- 100 Endurance BE.S.T.
Limited Edition

ENDURANCE PRO WOOD

SEMAUTOMATIC RIFLE



ENDURANCE PRO WOOD NEW

SEMAUTOMATIC RIFLE



CODE	CALIBER	L.O.P. (± 2 MM)	BARREL LENGTH (CM")	TWIST RATE (INCHES)	MAGAZINE	STOCK	BARREL FINISH	RIB	SIGHT	RAIL CONFIGURATION
A0645100	.30-06 SPRG	350	51/20	11	Double Stack Detacheble 5 Rounds	Montecarlo with Progressive Comfort system	Blued glossy	Carbon fibre short	Adj front sight Easy Aim	Upper receiver Drilled and Tapped
A0645000		350	51/20	11	Double Stack Detacheble 4 Rounds					
A0644900		350	51/20	11	Double Stack Detacheble 2 Rounds					
A0629400		350	56/22	11	Double Stack Detacheble 5 Rounds					
A0629300		350	56/22	11	Double Stack Detacheble 4 Rounds					
A0629200	.308 WIN	350	56/22	11	Double Stack Detacheble 2 Rounds	Montecarlo with Progressive Comfort system	Blued glossy	Carbon fibre short	Adj front sight Easy Aim	Upper receiver Drilled and Tapped
A0629800		350	51/20	11	Double Stack Detacheble 5 Rounds					
A0629700		350	51/20	11	Double Stack Detacheble 4 Rounds					
A0629600		350	51/20	11	Double Stack Detacheble 2 Rounds					
A0643100		350	51/20	11	Double Stack Detacheble 3 Rounds					
A0643000	.300 W.M.	350	51/20	11	Double Stack Detacheble 2 Rounds	Montecarlo with Progressive Comfort system	Blued glossy	Carbon fibre short	Adj front sight Easy Aim	Upper receiver Drilled and Tapped
A0646900		350	61/24	11	Double Stack Detacheble 3 Rounds					
A0646800		350	61/24	11	Double Stack Detacheble 2 Rounds					
A0638400		350	56/22	14	Double Stack Detacheble 4 Rounds					
A0638300	9,3x62	350	56/22	14	Double Stack Detacheble 2 Rounds					

Weight (± 100g): 3350 with barrel 56 cm/22"

Recoil Pad: Polyurethane

Stock and Forend finishing: Grade 2 Oil Walnut Wood

Comb: Polyurethane

Trigger Pull (Kg): 1.8

BE.S.T. Components: Gas system rod



ENDURANCE BE.S.T. COMFORTECH 3

SEMAUTOMATIC RIFLE



ENDURANCE BE.S.T. COMFORTECH 3 NEW

SEMAUTOMATIC RIFLE



CODE	CALIBER	L.O.P. (± 2 MM)	BARREL LENGTH (CM")	TWIST RATE (INCHES)	MAGAZINE	STOCK	BARREL FINISH	RIB	SIGHT	RAIL CONFIGURATION
A0643900	.30-06 SPRG	350	51/20	11	Double Stack Detachable 5 Rounds	Montecarlo with ComforTech 3 system	BE.S.T. glossy	Carbon fibre short	Adj front sight Easy Aim	Upper receiver Drilled and Tapped
A0643800		350	51/20	11	Double Stack Detachable 4 Rounds					
A0643700		350	51/20	11	Double Stack Detachable 2 Rounds					
A0606800		350	56/22	11	Double Stack Detachable 5 Rounds					
A0606700		350	56/22	11	Double Stack Detachable 4 Rounds					
A0606600		350	56/22	11	Double Stack Detachable 2 Rounds					
A0607600	.308 WIN	350	51/20	11	Double Stack Detachable 5 Rounds	Montecarlo with ComforTech 3 system	BE.S.T. glossy	Carbon fibre short	Adj front sight Easy Aim	Upper receiver Drilled and Tapped
A0607500		350	51/20	11	Double Stack Detachable 4 Rounds					
A0607400		350	51/20	11	Double Stack Detachable 2 Rounds					
A0642200	.300 W.M.	350	51/20	11	Double Stack Detachable 3 Rounds	Montecarlo with ComforTech 3 system	BE.S.T. glossy	Carbon fibre short	Adj front sight Easy Aim	Upper receiver Drilled and Tapped
A0642100		350	51/20	11	Double Stack Detachable 2 Rounds					
A0646000		350	61/24	11	Double Stack Detachable 3 Rounds					
A0645900	9,3x62	350	61/24	11	Double Stack Detachable 2 Rounds	Montecarlo with ComforTech 3 system	BE.S.T. glossy	Carbon fibre short	Adj front sight Easy Aim	Upper receiver Drilled and Tapped
A0637500		350	56/22	14	Double Stack Detachable 4 Rounds					
A0637400		350	56/22	14	Double Stack Detachable 2 Rounds					

Weight (± 100g): 3300 with barrel 56 cm/22"

Recoil Pad: Polyurethane

Stock and Forend finishing: Black Techno-polymer

Comb: Combtech

Trigger Pull (Kg): 1.8

BE.S.T. Components: Upper receiver, bolt, bolt handle gas system rod, barrel and muzzle thread cap



ENDURANCE WOOD NEW

SEMAUTOMATIC RIFLE



CODE	CALIBER	L.O.P. (± 2 MM)	BARREL LENGTH (CM/")	TWIST RATE (INCHES)	MAGAZINE	STOCK	BARREL FINISH	RIB	SIGHT	RAIL CONFIGURATION
A0644300	30-06 SPRG	350	51/20	11	Double Stack Detacheble 5 Rounds	Montecarlo	Blued glossy	Carbon fibre short	Adj front sight Easy Aim	Upper receiver Drilled and Tapped
A0644200		350	51/20	11	Double Stack Detacheble 4 Rounds					
A0644100		350	51/20	11	Double Stack Detacheble 2 Rounds					
A0607200		350	56/22	11	Double Stack Detacheble 5 Rounds					
A0607100		350	56/22	11	Double Stack Detacheble 4 Rounds					
A0607000		350	56/22	11	Double Stack Detacheble 2 Rounds					
A0608000	308 WIN	350	51/20	11	Double Stack Detacheble 5 Rounds	Montecarlo	Blued glossy	Carbon fibre short	Adj front sight Easy Aim	Upper receiver Drilled and Tapped
A0607900		350	51/20	11	Double Stack Detacheble 4 Rounds					
A0607800		350	51/20	11	Double Stack Detacheble 2 Rounds					
A0642500	300 W.M.	350	51/20	11	Double Stack Detacheble 3 Rounds	Montecarlo	Blued glossy	Carbon fibre short	Adj front sight Easy Aim	Upper receiver Drilled and Tapped
A0642400		350	51/20	11	Double Stack Detacheble 2 Rounds					
A0646300		350	61/24	11	Double Stack Detacheble 3 Rounds					
A0646200		350	61/24	11	Double Stack Detacheble 2 Rounds					
A0637800	9,3x62	350	56/22	14	Double Stack Detacheble 4 Rounds					
A0637700		350	56/22	14	Double Stack Detacheble 2 Rounds					

Weight (± 100g): 3300 with barrel 56 cm/22"

Recoil Pad: Polyurethane

Stock and Forend finishing: Grade 2 Oil Walnut Wood

Trigger Pull (Kg): 1.8

BE.S.T. Components: Gas system rod

ENDURANCE COMFORTECH 3 NEW

SEMAUTOMATIC RIFLE



CODE	CALIBER	L.O.P. (± 2 MM)	BARREL LENGTH (CM/")	TWIST RATE (INCHES)	MAGAZINE	STOCK	BARREL FINISH	RIB	SIGHT	RAIL CONFIGURATION
A0644700	.30-06 SPRG	350	51/20	11	Double Stack Detacheble 5 Rounds	Montecarlo with ComforTech 3 system	Blued glossy	Carbon fibre short	Adj front sight Easy Aim	Upper receiver Drilled and Tapped
A0644600		350	51/20	11	Double Stack Detacheble 4 Rounds					
A0644500		350	51/20	11	Double Stack Detacheble 2 Rounds					
A0628600		350	56/22	11	Double Stack Detacheble 5 Rounds					
A0628500		350	56/22	11	Double Stack Detacheble 4 Rounds					
A0628400		350	56/22	11	Double Stack Detacheble 2 Rounds					
A0652200		350	47/18.5	11	Double Stack Detacheble 5 Rounds					
A0652100	.308 WIN	350	47/18.5	11	Double Stack Detacheble 4 Rounds	Montecarlo with ComforTech 3 system	Blued glossy	Carbon fibre short	Adj front sight Easy Aim	Upper receiver Drilled and Tapped
A0629000		350	51/20	11	Double Stack Detacheble 5 Rounds					
A0628900		350	51/20	11	Double Stack Detacheble 4 Rounds					
A0628800		350	51/20	11	Double Stack Detacheble 2 Rounds					
A0652500		350	47/18.5	11	Double Stack Detacheble 5 Rounds					
A0652400		350	47/18.5	11	Double Stack Detacheble 4 Rounds					
A0642800		350	51/20	11	Double Stack Detacheble 3 Rounds					
A0642700	.300 W.M.	350	51/20	11	Double Stack Detacheble 2 Rounds	Montecarlo with ComforTech 3 system	Blued glossy	Carbon fibre short	Adj front sight Easy Aim	Upper receiver Drilled and Tapped
A0646600		350	61/24	11	Double Stack Detacheble 3 Rounds					
A0646500		350	61/24	11	Double Stack Detacheble 2 Rounds					
A0638100	9,3x62	350	56/22	14	Double Stack Detacheble 4 Rounds	Montecarlo with ComforTech 3 system	Blued glossy	Carbon fibre short	Adj front sight Easy Aim	Upper receiver Drilled and Tapped
A0638000		350	56/22	14	Double Stack Detacheble 2 Rounds					

Weight (± 100g): 3300 with barrel 56 cm/22"

Comb: Combtech

Recoil Pad: Polyurethane

Trigger Pull (Kg): 1.8

Stock and Forend finishing: Black Techno-polymer

BE.S.T. Components: Gas system rod



ENDURANCE COMFORTECH 3 BATTUE

SEMAUTOMATIC RIFLE



ENDURANCE COMFORTECH 3 BATTUE NEW

SEMAUTOMATIC RIFLE



CODE	CALIBER	L.O.P. (± 2 MM)	BARREL LENGTH (CM")	TWIST RATE (INCHES)	MAGAZINE	STOCK	BARREL FINISH	RIB	SIGHT	RAIL CONFIGURATION
A0630000	.30-06 SPRG	350	47/18.5	11	Double Stack Detachable 5 Rounds	Montecarlo with ComforTech 3 system	Blued matt	Carbon fibre short	Adj front sight Easy Aim	Upper receiver Drilled and Tapped
A0630200	.308 WIN	350	47/18.5	11	Double Stack Detachable 5 Rounds					
A0638600	9,3x62	350	47/18.5	14	Double Stack Detachable 4 Rounds					

Weight (± 100g): 3250

Recoil Pad: Polyurethane

Stock and Forend finishing: Camo Real Tree A P Blaze Techno-polymer

Comb: CombTech

Trigger Pull (Kg): 1.8

BE.S.T. Components: Gas system rod



ENDURANCE BE.S.T. LIMITED EDITION

SEMIAUTOMATIC RIFLE



100

Benelli

ENDURANCE BE.S.T. LIMITED EDITION

SEMAUTOMATIC RIFLE



CODE	CALIBER	L.O.P. (± 2 MM)	BARREL LENGTH (CM")	TWIST RATE (INCHES)	MAGAZINE	STOCK	BARREL FINISH	RIB	SIGHT	RAIL CONFIGURATION
A0533200	.30-06 SPRG	365	51/20	11	Detachable 4 Rounds					
A0533300	.300 W.M.	365	51/20	11	Detachable 3 Rounds	Montecarlo with Progressive Comfort	BE.S.T. glossy	Carbon fibre short rib	Adj front sight Easy aim	Upper receiver Drilled and Tapped
A0533400	.308 WIN	365	51/20	11	Detachable 4 Rounds					
A0533500	9,3x62	365	56/22	14	Detachable 4 Rounds					

Weight (± 100g): 3350

Recoil Pad: Polyurethane

Stock and Forend finishing: Grade 4 Oil Walnut Wood

Comb: Polyurethane

Trigger Pull (Kg): 2.1

BE.S.T. Components: Upper receiver, gas system rod and barrel



Benelli



ARGO 

SEMIAUTOMATIC RIFLE

102 ARGO E

104 Argo E Prestige

105 Argo E Amazonia Green

105 Argo E Sequoia Brown

106 R1

107 MR1

107 MR1

ARGO E PRESTIGE

SEMAUTOMATIC RIFLE



CODE	CALIBER	L.O.P. (± 2 MM)	BARREL LENGTH (CM")	TWIST RATE (INCHES)	MAGAZINE	STOCK	BARREL FINISH	RIB	SIGHT	RAIL CONFIGURATION
A0411000	30-06 SPRG	354	51/20	11	Double Stack Detacheble 4 Rounds					
A0410900		354	51/20	11	Double Stack Detacheble 2 Rounds					
A0411500	308 WIN	354	51/20	11	Double Stack Detacheble 4 Rounds					
A0411400		354	51/20	11	Double Stack Detacheble 2 Rounds	Montecarlo	Blued glossy	Carbon fibre short rib	Adj front sight Easy aim	Upper receiver Drilled and Tapped
A0411100	300 WIN	354	51/20	10	Double Stack Detacheble 3 Rounds					
A0411600	9,3x62	354	56/22	14	Double Stack Detacheble 4 Rounds					
A0411900		354	56/22	14	Double Stack Detacheble 2 Rounds					

Weight (± 100g): 3350

Recoil Pad: Solid rubber

Stock and Forend finishing: Grade 4 Oil Walnut Wood

Trigger Pull (Kg): 2.1

ARGO E AMAZONIA GREEN

SEMAUTOMATIC RIFLE



CODE	CALIBER	L.O.P. (± 2 MM)	BARREL LENGTH (CM")	TWIST RATE (INCHES)	MAGAZINE	STOCK	BARREL FINISH	RIB	SIGHT	RAIL CONFIGURATION
A0395501	30-06 SPRG	350	51/20	11	Double Stack Detachable 4 Rounds					
A0395601		350	51/20	11	Double Stack Detachable 2 Rounds					
A0396101	308 WIN	350	51/20	11	Double Stack Detachable 4 Rounds					
A0395801		350	51/20	11	Double Stack Detachable 3 Rounds	Montecarlo with ComforTech System	Blued glossy	Carbon fibre short rib	Adj front sight Easy aim	Upper receiver Drilled and Tapped
A0395701	300 W.M.	350	51/20	11	Double Stack Detachable 2 Rounds					
A0396001		350	56/22	11	Double Stack Detachable 4 Rounds					
A0395901	9,3x62	350	56/22	11	Double Stack Detachable 2 Rounds					
ARGO E SEQUOIA BROWN										
A0581100	30-06 SPRG	350	51/20	11	Double Stack Detachable 4 Rounds	Montecarlo with ComforTech system	Blued glossy	Carbon fibre short rib	Adj front sight Easy aim	Upper receiver Drilled and Tapped
A0581200	300 W.M.	350	51/20	11	Double Stack Detachable 3 Rounds					

Weight (± 100g): 3450

Recoil Pad: Polyurethane

Stock and Forend finishing: Amazonia Green Techno-polymer (Argo E Amazonia Green) / Sequoia Brown Techno-polymer (Argo E Sequoia Brown)

Comb: Gel

Trigger Pull (Kg): 2.1



R1

SEMAUTOMATIC RIFLE



CODE	CALIBER	L.O.P. (± 2 MM)	BARREL LENGTH (CM")	TWIST RATE (INCHES)	MAGAZINE	STOCK	BARREL FINISH	RIB - REAR SIGHT	SIGHT	RAIL CONFIGURATION
A0398301	338 W.M.	350	61/24	10	Detachable 3 Rounds	Montecarlo with Comfortech System	Blued glossy	Adj rear sight	Adj front sight Easy aim	Upper receiver Drilled and Tapped
A0478900	338 W.M.	350	51/20	11	Detachable 3 Rounds			Adj rear sight		

Weight (± 100g): 3450

Recoil Pad: Polyurethane

Stock and Forend finishing: Black Techno-polymer

Comb: Gel

Trigger Pull (Kg): 2.4

MR1

SEMAUTOMATIC RIFLE



CODE	CALIBER	L.O.P. (± 2 MM)	BARREL LENGTH (CM")	TWIST RATE (INCHES)	MAGAZINE	STOCK	BARREL FINISH	RIB	SIGHT	RAIL CONFIGURATION
A0249300	223 REM	353 Adj	51/20	9	Double Stack Detachable 5 Rounds	Pistol	Phosphate	-	Adj ghost ring sight, fixed front sight and picatinny rail	Picatinny rail
A0376400		353 Adj	41/16	9	Double Stack Detachable 5 Rounds					
A0376600		357 Adj	51/20	9	Double Stack Detachable 5 Rounds	Pistol Grip				
A0376500		357 Adj	41/16	9	Double Stack Detachable 5 Rounds	Telescopic Pistol Grip	-	Adj ghost ring sight, fixed front sight, picatinny rail and muzzle break		
A0376900		352 Adj	51/20	9	Double Stack Detachable 5 Rounds					
A0376700		352 Adj	32+5/12.5+2	9	Double Stack Detachable 5 Rounds					

Weight (± 100g): 3450

Recoil Pad: Solid Rubber

Stock and Forend finishing: Black Techno-polymer

Trigger Pull (Kg): 2.7

ARGO

Benelli

NOVA E SUPERNOVA

PUMP ACTION

108 NOVA

109 Nova Black

12,20
GA

110 Nova MAX 7

12 GA

PUMP ACTION

108 SUPERNOVA

111 Supernova Black

12 GA

112 Supernova Camo MAX 7

12 GA



NOVA BLACK

PUMP ACTION



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES
A0089100		89 mm - 3.5"	360	3 (89); 4 (70/76)	61/24					
A0089000		89 mm - 3.5"	360	3 (89); 4 (70/76)	65/26					
A0060400	12	89 mm - 3.5"	360	3 (89); 4 (70/76)	70/28					
A0060301		89 mm - 3.5"	360	3 (89); 4 (70/76)	47/18.5 Slug				Adj rear sight and fixed front sight	
A0099300		89 mm - 3.5"	360	3 (89); 4 (70/76)	47/18.5 Slug	Pistol	Blued matt	-	Adj ghost sight and fixed front sight	-
A0088901		89 mm - 3.5"	360	3 (89); 4 (70/76)	50/20 Slug				Adj rear sight and fixed front sight	
A0118900		89 mm - 3.5"	360	4 (70/76)	61/24					
A0094100	20	89 mm - 3.5"	360	4 (70/76)	65/26					
A0190900		89 mm - 3.5"	327 COMPACT	4 (70/76)	61/24					

Weight (± 100g): 12 ga 3600 / 20 ga 3000

Recoil Pad: Solid rubber

Stock and Forend finishing: Black Techno-polymer

Trigger Pull (Kg): 3.3

NOVA MAX 7 NEW

PUMP ACTION



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES
A0633500	12	89 mm - 3.5"	360	3 (89); 4 (70/76)	65/26			Camo MAX 7 - Ventilated steel step	Intermediate metallic sight and short fluorescent red	3 INTERNAL 70 mm F (*); M (**); IC (****)
A0633600		89 mm - 3.5"	360	3 (89); 4 (70/76)	70/28	Pistol	Camo MAX 7			

Weight (± 100g): 3500

Recoil Pad: Solid Rubber

Stock and Forend finishing: Camo MAX 7 Techno-polymer

Trigger Pull (Kg): 3.3

SUPERNova BLACK

PUMP ACTION



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES
A0221800		89 mm - 3.5"	370	3 (89); 4 (70/76)	61/24					
A0221900		89 mm - 3.5"	370	3 (89); 4 (70/76)	65/26					
A0222000	12	89 mm - 3.5"	370	3 (89); 4 (70/76)	70/28	Pistol with ComforTech System	Blued matt	Ventilated steel step	Intermediate metallic sight and short fluorescent red	3 INTERNAL 70 mm F (*); M (**); IC (****)
A0231000		89 mm - 3.5"	360	3 (89); 4 (70/76)	47/18.5 Slug					
A0233700		89 mm - 3.5"	370	3 (89); 4 (70/76)	50/20 Slug			-	Adj rear sight and fixed front sight	-
A0241500		89 mm - 3.5"	350	3 (89); 4 (70/76)	61/24 Rifled Slug		Blued matt Crio			

Weight (± 100g): 3600

Recoil Pad: Solid rubber

Stock and Forend finishing: Black Techno-polymer

Comb: Gel

Trigger Pull (Kg): 3.3



SUPERNova MAX 7

PUMP ACTION



SUPERNOVA MAX 7 NEW

PUMP ACTION



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES
A0633700	12	89 mm - 3.5"	370	3 (89); 4 (70/76)	65/26	Pistol with Comfortech system	Camo MAX 7	Camo MAX 7 - Ventilated steel step	Intermediate metallic sight and short fluorescent red	3 INTERNAL 70 mm F (*); M (**); IC (****)
A0633800		89 mm - 3.5"	370	3 (89); 4 (70/76)	70/28					

Weight (± 100g): 3600

Recoil Pad: Solid rubber

Stock and Forend finishing: Camo MAX 7 Techno-polymer

Comb: Gel

Trigger Pull (Kg): 3.3



BENELLI SPORT**IPSC SHOTGUN**

115 Nova Speed


CAL. 12

116 M2 Speed

CAL. 12

117 M2 SP

CAL. 12



NOVA SPEED

PUMP ACTION



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - Crio
A0567700		76 mm - 3"	365	11 (76); 12 (70)	61/24 ♦					
A0567800	12	76 mm - 3"	365	11 (76); 12 (70)	65/26 ♦	Pistol with Comfortech 3 system	Blued Matt	Ventilated steel step	Collapsible rifle sight and extra-long 5 cm red fibre-optic	3 INTERNAL 70 mm IM (**); M (***) ; IC (****) + 1 KND Ampliator 70 + 20 mm + 1 KND Long Shot 70 + 20 mm
A0591800		76 mm - 3"	365	9 (76); 10 (70)	61/24 ♦					
A0591900		76 mm - 3"	365	9 (76); 10 (70)	65/26 ♦					

Weight (± 100g): 3300

Recoil Pad: Polyurethane, available in different lengths

Stock and Forend finishing: Black Techno-polymer

Comb: Combttech, available in different heights

Trigger Pull (Kg): 2.5



M2 SPEED

SEMAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - Crio
A0562300		76 mm - 3"	365	11 (76); 12 (70)	61/24 ♦					
A0562400		76 mm - 3"	365	11 (76); 12 (70)	65/26 ♦					
A0576200	12	76 mm - 3"	365	3 (76); 3 (70)	65/26 ♦	Pistol with Comfortech 3 system	Blued matt	Ventilated steel step	Collapsible rifle sight and extra-long 5 cm red fibre-optic	3 INTERNAL 70 mm IM (**); M (***) ; IC (****) + 1 KND Ampliator 70 + 20 mm + 1 KND Long Shot 70 + 20 mm
A0591600		76 mm - 3"	365	9 (76); 10 (70)	61/24 ♦					
A0591700		76 mm - 3"	365	9 (76); 10 (70)	65/26 ♦					

Weight (± 100g): 3300

Recoil Pad: Polyurethane, available in different lengths

Stock and Forend finishing: Black Techno-polymer

Comb: Combtouch, available in different heights

Trigger Pull (Kg): 2.5

Bolt: BE.S.T.



M2 SP

SEMAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - Crio
A0548900		76 mm - 3"	365	9 (76); 10 (70)	61/24 ♦					
A0479900		76 mm - 3"	365	9 (76); 10 (70)	65/26 ♦					
A0554900	12	76 mm - 3"	365	3 (70/76)	65/26 ♦	Pistol with ComforTech system	Blued matt	Ventilated steel step	Collapsible rear sight and extra-long red fibre-optic	3 KND 70 + 20 mm F (*); M (**); IC (****)
A0555000		76 mm - 3"	365	5 (70); 4 (76)	65/26 ♦					

Weight (± 100g): 3250

Recoil Pad: Polyurethane, available in different lengths

Stock and Forend finishing: Black Techno-polymer

Comb: Elastomer

Trigger Pull (Kg): 2.5



BENELLI SPORT**SPORTING /
COMPAK SPORTING**

119 828 U Sport	12 GA
120 Raffaello Ethos Sport	12,20, 28 GA
121 Raffaello Ethos Super Sport	12,20, 28 GA
122 Raffaello Super Sport	12, 20 GA
123 Raffaello Super Sport World Cup	12 GA
124 Raffaello Sport II	12,20 GA
125 Vinci Super Sport	12 GA

828 U SPORT

OVER & UNDER



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	BARREL LENGTH (CM")	TRIGGER PULL (KG) (± 10%)	SAFETY	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIOS
A0556600		76 mm - 3"	345 COMPACT	76/30 ◇							
A0556700		76 mm - 3"	345 COMPACT	81/32 ◇							
A0557400		76 mm - 3"	360	76/30 ◇							
A0557500		76 mm - 3"	360	81/32 ◇							
A0478700		76 mm - 3"	375	76/30 ◇							
A0492200		76 mm - 3"	375	81/32 ◇							
A0556400 LH	12	76 mm - 3"	345 COMPACT	76/30 ◇	1.6 (1st trigger); 1.6 (2nd trigger)						
A0556500 LH		76 mm - 3"	345 COMPACT	81/32 ◇	Detachable Trigger group	Manual					
A0557200 LH		76 mm - 3"	360	76/30 ◇							
A0557300 LH		76 mm - 3"	360	81/32 ◇	Adjustable trigger						
A0539900 LH		76 mm - 3"	375	76/30 ◇							
A0540000 LH		76 mm - 3"	375	81/32 ◇							
A0568200		76 mm - 3	-	76/30 ◇							
A0568300		76 mm - 3	-	81/32 ◇							

Weight (± 100g): 3650

Recoil Pad: Polyurethane, available in different lengths

Stock and Forend finishing: Grade 3 Oil Walnut Wood

Ejectors: Automatic, impulsive driven ejection



RAFFAELLO ETHOS SPORT

SEMAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - Crio
A0515701		76 mm - 3"	365	3 (76); 4 (70)	70/28 ⚪					
A0500400	12	76 mm - 3"	365	3 (76); 4 (70)	70/28					
A0515801		76 mm - 3"	365	3 (76); 4 (70)	76/30 ⚪					
A0500500		76 mm - 3"	365	3 (76); 4 (70)	76/30	Pistol with Progressive Comfort system	Blued glossy ported	Ventilated carbon fibre step	Intermediate metallic sight and short fluorescent red	5 KND 70 + 20 mm F (*); IM (**); M (**); IC (****); CYL (*****)
A0515901	20	76 mm - 3"	365	3 (76); 4 (70)	70/28 ⚪					
A0500600		76 mm - 3"	365	3 (76); 4 (70)	70/28					
A0516001	28	76 mm - 3"	365	2 (70/76)	70/28 ⚪					
A0500900		76 mm - 3"	365	2 (70/76)	70/28					

Weight (± 100g): 12 ga 2950 / 20 ga 2600 / 28 ga 2475

Recoil Pad: Polyurethane

Stock and Forend finishing: Walnut Wood with Wood Fx

Comb: Soft Techno Polyurethane

Trigger Pull (Kg): 2.5

RAFFAELLO ETHOS SUPER SPORT

SEMAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIOS
A0559600	12	76 mm - 3"	365	3 (76); 4 (70)	70/28					
A0559700		76 mm - 3"	365	3 (76); 4 (70)	76/30	Pistol with Comfortech 3 system	Blued glossy ported	Ventilated carbon fibre step	Intermediate metallic sight and short fluorescent red	2 KND 70 + 20mm M (**); IC (****) + 3 INTERNAL 70mm F (*); IM (**); CYL (*****)
A0560000	20	76 mm - 3"	365	3 (76); 4 (70)	70/28					
A0560500	28	76 mm - 3"	365	2 (70/76)	70/28					

Weight (± 100g): 12 ga 2950 / 20 ga 2600 / 28 ga 2500

Recoil Pad: Polyurethane

Stock and Forend finishing: Carbon Fibre Techno-polymer

Comb: Combtouch

Trigger Pull (Kg): 2.5



Benelli

RAFFAELLO SUPER SPORT

SEMAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIOS
A0174901	12	76 mm - 3"	365	3 (76); 4 (70)	70/28					2 KND 70 + 20mm M (**); IC (****) + 3 INTERNAL 70mm F (*); IM (**); CYL (*****)
A0175001		76 mm - 3"	365	3 (76); 4 (70)	76/30	Pistol with ComforTech system	Blued glossy ported	Ventilated steel step	Intermediate metallic sight and short fluorescent red	
A0228300	20	76 mm - 3"	365	3 (76); 4 (70)	70/28					

Weight (± 100g): 12 ga 3250 / 20 ga 2650

Recoil Pad: Gel

Stock and Forend finishing: Carbon fibre Techno-polymere

Comb: Gel

Trigger Pull (Kg): 2.5



RAFFAELLO SUPERSPORT WORLDCUP

SEMIAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIOS
A0526600	12	76 mm - 3"	365	3 (76); 4 (70)	76/30 ◊	Pistol with ComforTech system	Blued glossy	Ventilated carbon fibre step	Intermediate metallic sight and short fluorescent red	5 KND 50 + 20 mm F (*); IM (**); M (***) ; IC (****); CYL (*****)

Weight (± 100g): 3260

Recoil Pad: Gel

Stock and Forend finishing: Carbon fibre Techno-polymer

Comb: Gel

Trigger Pull (Kg): 2.5



RAFFAELLO SPORT II

SEMIAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIOS
A0146902	12	76 mm - 3"	360	3 (76); 4 (70)	70/28					
A0147002	12	76 mm - 3"	360	3 (76); 4 (70)	76/30	Pistol	Blued glossy	Ventilated steel step	Intermediate metallic sight and short fluorescent red	5 KND 50 + 20 mm F (*); IM (**); M (**); IC (****); CYL (*****)
A0227800	20	76 mm - 3"	360	3 (76); 4 (70)	70/28					

Weight (± 100g): 12 ga 3200 / 20 ga 2600

Recoil Pad: Gel

Stock and Forend finishing: Grade 2 Vernish Walnut Wood

Trigger Pull (Kg): 2.5

VINCI SUPERSPORT

SEMAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - Crio
A0402300	12	76 mm - 3"	365	3 (70/76)	70/28	Pistol with Comfortech Plus system	Blued matt	Ventilated steel step	Intermediate metallic sight and short fluorescent red	5 KND 70 + 20 mm F (*); IM (**); M (***); IC (****); CYL (*****)
A0402400	12	76 mm - 3"	365	3 (70/76)	76/30					

Weight (± 100g): 3350

Recoil Pad: Polyurethane

Stock and Forend finishing: Camo Carbon fibre Techno-polymer

Comb: Soft Techno Polyurethane

Trigger Pull (Kg): 2.5



PROFESSIONAL

SEMAUTOMATIC SHOTGUN

126 VINCI

127 Vinci Tactical

CAL. 12

126 M2

128 M2 Tactical

CAL. 12

126 M3

129 M3 Black

CAL. 12

130 M3 Tactical

CAL. 12

131 M3 Kromo

CAL. 12

126 M4

132 M4 T-Pro Brown

CAL. 12

134 M4 T-Pro

CAL. 12

135 M4 Black

CAL. 12

136 M4 Cerakote Silver

CAL. 12

137 M4 Cerakote Brown

CAL. 12

PUMP ACTION

126 NOVA

138 Nova H20

12 GA

139 Supernova Tactical

12 GA

PISTOLS

126 MP


140 MP 90 S World Cup

140 MP 95 E

126 AIR PRESSED KITE (Free Sales)

141 Kite

141 Kite Young



VINCI TACTICAL

SEMAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - Crio
A0413300	12	76 mm - 3"	365	3 (70/76)	47/18.5	Pistol with Comfortech Plus system	Blued matt	-	Adj ghost ring sight and fixed front sight	3 INTERNAL 70 mm F (*); M (**); IC (****)
A0413800		76 mm - 3"	365	3 (70/76)	47/18.5	Pistol Grip				

Weight (± 100g): 3000

Recoil Pad: Polyurethane

Stock and Forend finishing: Black Techno polymer

Comb: Soft Techno Polyurethane

Trigger Pull (Kg): 2.5



M2 TACTICAL

SEMAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - Crio
A0416700		76 mm - 3"	365	6 (70/76)	47/18.5	Pistol with ComforTech system			Adj rear sight and fixed front sight	3 INTERNAL 70 mm F (*); M (**); IC (****)
A0417900		76 mm - 3"	365	6 (70/76)	47/18.5	Pistol grip				-
A0217500	12	76 mm - 3"	360	6 (70/76)	50/20 Slug	Pistol syntetic	Blued matt	-	Adj ghost sight and fixed front sight	3 INTERNAL 70 mm F (*); M (**); IC (****)
A0555500		76 mm - 3"	365	3 (76); 4 (70)	47/18.5	Pistol grip				
A0555600		76 mm - 3"	365	3 (76); 4 (70)	47/18.5	Pistol with ComforTech system				
A0418000		76 mm - 3"	365	6 (70/76)	47/18.5					

Weight (± 100g): 2950

Recoil Pad: Solid rubber

Stock and Forend finishing: Black Techno-polymer

Trigger Pull (Kg): 2.5

M3 BLACK

SEMAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES
A0007701		76 mm - 3"	360	6 (76); 7 (70)	65/26	Pistol	Ventilated steel step		Short fluorescent red	5 INTERNAL 50 mm F (*); IM (**); M (***) ; IC (****); CYL (*****)
A0007602	12	76 mm - 3"	360	6 (76); 7 (70)	50/20 Slug	Blued matt	-	Adj rear sight and fixed front sight	-	
A0050001		76 mm - 3"	360	6 (76); 7 (70)	65/26	Pistol grip	Ventilated steel step		Short fluorescent red	5 INTERNAL 50 mm F (*); IM (**); M (***) ; IC (****); CYL (*****)

Weight (± 100g): 3330

Recoil Pad: Solid rubber

Stock and Forend finishing: Black Techno-polymer

Trigger Pull (Kg): 2.5

M3 TACTICAL

SEMAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES
A0138900		76 mm - 3"	360	6 (76); 7 (70)	50/20 Slug	Synthetic				
A0418500		76 mm - 3"	355 Adj	6 (76); 7 (70)	50/20 Slug					
A0378800	12	76 mm - 3"	355 Adj	4 (76); 5 (70)	36/14 Slug	Telescopic Pistol Grip	Blued matt	-	Adj ghost ring sight, fixed front sight	-
A0555400		76 mm - 3"	355 Adj	4 (76); 5 (70)	50/20 Slug					

Weight (± 100g): 3250

Recoil Pad: Solid rubber

Stock and Forend finishing: Black Techno-polymer

Trigger Pull (Kg): 2.5

M3 KROMO

SEMAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER (± 2 MM)	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES
A0088001	12	76 mm - 3"	360	6 (76); 7 (70)	65/26	Pistol	Blued black	Ventilated steel step	Short fluorescent red	5 INTERNAL 50 mm F (*); IM (**); M (**); IC (****); CYL (*****)
A0045701	12	76 mm - 3"	360	6 (76); 7 (70)	50/20 Slug		Blued black Kromo	-	Adj rear sight and fixed front sight	-

Weight (± 100g): 3150

Recoil Pad: Solid rubber

Stock and Forend finishing: Techno-polymer

Trigger Pull (Kg): 2.5

M4 T-PRO BROWN

SEMAUTOMATIC SHOTGUNS



M4 T-PRO BROWN

SEMAUTOMATIC SHOTGUNS



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES
A0595200		76 mm - 3"	360 ADJ	4 (76); 5 (70)	35,5/14					
A0595300	12	76 mm - 3"	360 ADJ	6 (76); 7 (70)	47/18.5	Telescopic Pistol Grip	Phosphate Cerakote brown	-	Adj ghost ring sight, fixed front sight and plus picatinny rail on the receiver	1 INTERNAL 50 mm ***
A0641800		76 mm - 3"	360 ADJ	4 (76); 5 (70)	47/18.5					

Weight (± 100g): 3800

Recoil Pad: Solid rubber

Stock and Fore-end finishing: Black Techno-polymer stock and fore-end multirail black aluminium

Trigger Pull (Kg): 3.5



M4 T-PRO

SEMAUTOMATIC SHOTGUNS



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES
A0595000		76 mm - 3"	360 ADJ	4 (76); 5 (70)	35,5/14					
A0595100	12	76 mm - 3"	360 ADJ	6 (76); 7 (70)	47/18.5	Telescopic Pistol Grip	Phosphate	-	Adj ghost ring sight, fixed front sight and plus picatinny rail on the receiver	1 INTERNAL 50 mm ***
A0641900		76 mm - 3"	360 ADJ	4 (76); 5 (70)	47/18.5					

Weight (± 100g): 3800

Recoil Pad: Solid rubber

Stock and Fore-end finishing: Black Techno-polymer stock and fore-end multirail black aluminium

Trigger Pull (Kg): 3.5

M4 BLACK

SEMIAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES
A0139400		76 mm - 3"	360	6 (76); 7 (70)	47/18.5	Pistol				
A0412500		76 mm - 3"	360	6 (76); 7 (70)	51/20					
A0137300		76 mm - 3"	360	6 (76); 7 (70)	47/18.5					
A0437900		76 mm - 3"	360	4 (76); 5 (70)	47/18.5	Pistol grip				FIXED M (***)
A0413500		76 mm - 3"	360	6 (76); 7 (70)	51/20					
A0093601	12	76 mm - 3"	360 Adj	6 (76); 7 (70)	47/18.5		Phosphate	-	Adj ghost ring sight, fixed front sight and picatinny rail	
A0401000		76 mm - 3"	355 Adj	6 (76); 7 (70)	51/20	Telescopic Pistol Grip				
A0440100		76 mm - 3"	355 Adj	6 (76); 7 (70)	47/18.5					FIXED M (***) + 1 Muzzle Breake
A0555200		76 mm - 3"	360	4 (76); 5 (70)	47/18.5	Pistol				
A0120800		76 mm - 3"	360 Adj	4 (76); 5 (70)	35.5/14					FIXED M (***)
A0223100		76 mm - 3"	360 Adj	4 (76); 5 (70)	47/18.5	Telescopic Pistol Grip				

Weight (± 100g): 3800

Recoil Pad: Solid rubber

Stock and Forend finishing: Black Techno-polymer

Trigger Pull (Kg): 3.5



M4 CERAKOTE SILVER

SEMIAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES
A0483800		76 mm - 3"	360	4 (76); 5 (70)	47/18.5	Pistol			Adj ghost ring sight, fixed front sight and picatinny rail	
A0482000	12	76 mm - 3"	360	4 (76); 5 (70)	47/18.5	Pistol grip	Cerakote Silver	-		FIXED M (***)
A0555300		76 mm - 3"	355 Adj	4 (76); 5 (70)	47/18.5	Telescopic Pistol Grip				

Weight (± 100g): 3800

Recoil Pad: Solid rubber

Stock and Forend finishing: Black Techno-polymer

Trigger Pull (Kg): 3.5

M4 CERAKOTE BROWN

SEMIAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES
A0453600	12	76 mm - 3"	360	4 (76); 5 (70)	47/18.5	Pistol grip	Cerakote brown	-	Adj ghost ring sight, fixed front sight and picatinny rail	FIXED M (***)

Weight (± 100g): 3800

Recoil Pad: Solid rubber

Stock and Forend finishing: Black Techno-polymer

Trigger Pull (Kg): 3.5

ARGO

Benelli

NOVA H20

PUMP ACTION



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES
A0137100	12	89 mm - 3.5"	360	3 (89); 4 (70/76)	47/18.5 Slug	Pistol	Nickel-plated	-	Adj rear sight and fixed front sight	-

Weight (± 100g): 3150

Recoil Pad: Solid rubber

Stock and Forend finishing: Black Techno-polymer

Trigger Pull (Kg): 3.3

SUPERNOVA TACTICAL

PUMP ACTION



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES
A0231100		89 mm - 3.5"	365	3 (89); 4 (70/76)	47/18.5 Slug	Pistol with Comfortech system				
A0222900		89 mm - 3.5"	365	3 (89); 4 (70/76)	47/18.5 Slug	Pistol Grip	Blued matt	-	Adj ghost ring sight and fixed front sight	
A0234900	12	89 mm - 3.5"	350 Adj	3 (89); 4 (70/76)	47/18.5 Slug	Telescopic Pistol Grip			Adj ghost ring sight, fixed front sight and picatinny rail	
A0421000		89 mm - 3.5"	350 Adj	3 (89); 4 (70/76)	50/20 Slug				Adj rear sight and fixed front sight	

Weight (± 100g): 3300

Recoil Pad: Solid rubber

Stock and Forend finishing: Black Techno-polymer

Trigger Pull (Kg): 3.3



MP 90 S WORLD CUP

PISTOLS



CODE	GAUGE	WEIGHT (g)	BARREL LENGTH (mm")	TWIST RATE (INCHES/mm)	MAGAZINE	GRIP	TRIGGER PULL (KG) ($\pm 10\%$)	BARREL FINISH	SIGHT
A0369300	22 long rifle	1100	110/4	8/450	6 loader	Large RH	From 100 to 500 gr (1st stage); from 500 to 900 gr (2nd stage)	Blued glossy	Adj rear sight and fixed front sight
A0369500	32 Wad cutter	1180	110/4	6/450	5 loader	Adj			

MP 95 E

PISTOLS



CODE	GAUGE	WEIGHT (g)	BARREL LENGTH (mm")	TWIST RATE (INCHES/mm)	MAGAZINE	GRIP	TRIGGER PULL (KG) ($\pm 10\%$)	BARREL FINISH	SIGHT
A0382900	22 long rifle	1100	110/4	8/450	6 loader	Fixed	From 100 to 500 gr (1st stage); from 500 to 900 gr (2nd stage)	Blued glossy	Adj rear sight and fixed front sight

KITE

AIR PRESSED PISTOLS - FREE SALE



CODE	GAUGE	WEIGHT (g)	BARREL LENGTH (mm")	TWIST RATE (INCHES/mm)	MAGAZINE TUBE	GRIP	TRIGGER PULL (KG) ($\pm 10\%$)	BARREL FINISH	SIGHT
A0165301	4.5 mm (.177)	800	240/9	12/450	Long blue 300 rounds (280 gr)	Large RH Adj	From 100 to 470 gr (1st stage); from 400 to 1000 gr (2nd stage)	Blued glossy	Adj rear sight and fixed front sight

Muzzle energy: <7,5 Joule

KITE YOUNG

AIR PRESSED PISTOLS - FREE SALE



CODE	GAUGE	WEIGHT (g)	BARREL LENGTH (mm")	TWIST RATE (INCHES/mm)	MAGAZINE TUBE	GRIP	TRIGGER PULL (KG) ($\pm 10\%$)	BARREL FINISH	SIGHT
A0168501	4.5 mm (.177)	750	190/7	12/450	Medium blue 180 rounds (225 gr)	Medium RH Adj	From 100 to 470 gr (1st stage); from 400 to 1000 gr (2nd stage)	Blued glossy	Adj rear sight and fixed front sight

Muzzle energy: <7,5 Joule

BARRELS

BARREL - 12 GAUGE - 3" - MAGNUM CHAMBER

MODELS	CODE	BARREL	RIB	SIGHT	CHOKES - CRIOS
Raffaello Deluxe Power Bore Raffaello Power Bore	C0111000	24" - 61 cm	Carbon fibre low rib	Intermediate metallic sight + long red, yellow and green fibre optic	5 Internal chokes full (*); improved modified (**); modified (***); improved cylinder (****); cylinder (*****).
	C0111100	26" - 65 cm			
	C0111200	28" - 70 cm			
	C0111300	30" - 75 cm			
Raffaello Black	C0114400	24" - 61 cm	Low rib	Long red fibre optic	5 Internal chokes full (*); improved modified (**); modified (***); improved cylinder (****); cylinder (*****).
	C0114500	26" - 65 cm			
	C0114600	28" - 70 cm			
	C0114700	30" - 75 cm			
Raffaello Elegant Duca di Montefeltro Montefeltro Extra Light Comfort Montefeltro	C0002104	21" - 54 cm	Low rib	Short red	5 Internal chokes full (*); improved modified (**); modified (***); improved cylinder (****); cylinder (*****).
	C0084100	24" - 61 cm			
	C0040601	26" - 65 cm			
	C0040701	28" - 70 cm			
	C0030402	30" - 75 cm			
Raffaello Black Raffaello Elegant Duca di Montefeltro Montefeltro Extra Light Comfort Montefeltro	C0040800	30" - 75 cm	Low rib	Short red	1 fixed choke full (*).
	C0004501	20" - 50 cm Slug		Adjustable rear sight + front sight + scope mount	Cylinder
	C0011801	22" - 55 cm Slug		Adjustable rear sight + front sight	
	C0011901	24" - 61 cm Slug			
Duca di Montefeltro Left Hand Montefeltro Left Hand	C0084200	26" - 65 cm	Low rib	Short red	5 Internal chokes full (*); improved modified (**); modified (***); improved cylinder (****); cylinder (*****).
	C0084300	28" - 70 cm			
Raffaello Criocomfort Centro	C0055300	24" - 61 cm	Carbon fibre low rib	Intermediate metallic sight + long red fibre optic	2 internal chokes modified (**); cylinder (*****).
	C0054200	26" - 65 cm			
	C0054400	28" - 70 cm			
	C0055200	30" - 75 cm			
Raffaello Criocomfort Left Hand	C0056100	26" - 65 cm	Carbon fibre low rib	Intermediate metallic sight + long red fibre optic	5 Internal chokes full (*); improved modified (**); modified (***); improved cylinder (****); cylinder (*****).
	C0056200	28" - 70 cm			
	C0092000	30" - 75 cm	-	-	

BARRELS

MODELS	CODE	BARREL	RIB	SIGHT	CHOKES - CRIOS
Legacy Sport Raffaello Super Sport Sport II	C0031102	28" - 70 cm	◆ High rib	Intermediate metallic sight + short red	5 Knurled end chokes full (*); improved modified (**); modified (***) improved cylinder (****); cylinder (*****).
	C0046101	28" - 70 cm			Internal chokes
	C0030502	30" - 75 cm			
Cordoba	C0040301	28" - 70 cm	High rib	Intermediate metallic sight + short red	5 Knurled end chokes full (*); improved modified (**); modified (***) improved cylinder (****); cylinder (*****).
Beccaccia Supreme	C0106900	24" - 61 cm	◆ Carbon fibre low rib	Intermediate metallic sight + long red, yellow fibre optic	Ampliator choke + 3 internal chokes modified (**); improved cylinder (****); cylinder (*****).
	C0107000	26" - 65 cm	◆		
M2	C0084600	21" - 54 cm	◆ High rib	Short red	5 Internal chokes full (*); improved modified (**); modified (***) improved cylinder (****); cylinder (*****).
	C0084500	24" - 61 cm	◆		
	C0044300	26" - 65 cm	◆		
	C0044400	28" - 70 cm	◆	Adjustable rear sight + front sight	
	C0037600	24" - 61 cm Rifled slug	-	Cylinder	
M2 Left Hand	C0084700	24" - 61 cm	◆ High rib	Short red	5 internal chokes full (*); improved modified (**); modified (***) improved cylinder (****); cylinder (*****).
	C0044800	26" - 65 cm	◆		
	C0044900	28" - 70 cm	◆		
M2 Practical	C0084900	26" - 65 cm	-	Adjustable ghost ring sight + front sight + picatinny rail	3 internal chokes full (*); modified (**); improved cylinder (****).
M2 Tactical	C0041500	18,5" - 47 cm	- -	Adjustable rear sight + front sight	3 internal chokes full (*); modified (**); improved cylinder (****).
	C0084400	18,5" - 47 cm Slug	◆	Ghost sight	
	C0043700	20" - 50 cm Slug	-	Adjustable ghost ring sight + front sight	Cylinder

BARRELS

MODELS	CODE	BARREL	RIB	SIGHT	CHOKES
M1 S.90/M2	C0043800	18,5" - 47 cm Slug	-	Adjustable rear sight + front sight	Cylinder
	C0033600	28" - 70 cm	High rib	Adjustable ghost ring sight + front sight	5 internal chokes full (*); improved modified (**); modified (***); improved cylinder (****); cylinder (*****).
	C0043400	20" - 50 cm Slug	-		Cylinder
M3	C0008101	26" - 65 cm	High rib	Short red	5 internal chokes full (*); improved modified (**); modified (***); improved cylinder (****); cylinder (*****).
	C0008002	20" - 50 cm Slug	-	Adjustable rear sight + front sight	Cylinder
M3 S.90	C0013501	20" - 50 cm Slug	-	Scope mount rail	Cylinder
	C0016601	18,5" - 47 cm Slug			Internal chokes
	C0016600	18,5" - 47 cm Slug			
M3 Tactical	C0052500	20" - 50 cm Slug	-	Adjustable ghost ring sight + front sight	Cylinder
	C0088200	14"- 36 cm		No sight	
	C0052600	14" - 36 cm Slug		Adjustable ghost ring sight + front sight + picatinny rail	
M3 Kromo	C0012101	20" - 50 cm Slug (Kromo barrel)	-	Adjustable rear sight + front sight	Cylinder
M4 S.90	C0096400	20" - 50 cm	-	Ghost sight	1 internal choke modified (**).
M4	C0019302	18,5" - 47 cm	-	Adjustable ghost ring sight + front sight + picatinny rail	1 internal choke modified (**).
	C0027601	14" - 36 cm			

BARRELS

BARREL - 12 GAUGE - - 2 3/4 CHAMBER

MODELS	CODE	BARREL	RIB	SIGHT	CHOKES - CRIOS
Raffaello Black Raffaello Elegant Duca di Montefeltro Montefeltro Extra Light Comfort Montefeltro	C0040900	24" - 61 cm ◊	Low rib	Short red	1 external choke improved modified (**).
	C0003302	26" - 65 cm			1 fixed choke Modified (***).
	C0003102				1 fixed choke improved modified (**).
	C0003202		-		1 fixed choke modified (***).
	C0003502	26" - 65 cm	Low rib		1 fixed choke improved modified (***)
	C0003402				1 fixed choke improved cylinder (****)
	C0003802	28" - 70 cm			1 fixed choke Full (*)
	C0004002				1 fixed choke improved modified (**).
	C0004202				1 fixed choke modified (***).
	C0003902		-		1 fixed choke improved modified (**).

BARRELS

BARREL - 12 GAUGE - 3,5" - SUPER MAGNUM CHAMBER

MODELS	CODE	BARREL	RIB	SIGHT	CHOKES
Super Black Eagle II	C0085400	28" - 70 cm ◇	High rib	Intermediate metallic sight + short red + drilled and tapped cover (for scope mount)	5 internal chokes full (*); improved modified (**); modified (***) improved cylinder (****); cylinder (*****).
	C0037400	24" - 61 cm Rifled slug	-	Adjustable rear sight + front sight + drilled and tapped cover (for scope mount)	Cylinder
Nova Super Nova	C0017500	24" - 61 cm	High rib	Intermediate metallic sight + Short red	3 internal chokes full (*); modified (**); improved cylinder (****).
	C0017400	26" - 65 cm			
	C0012900	28" - 70 cm	-	Adjustable rear sight + front sight	Cylinder
	C0020700	24" - 61 cm Rifled slug			
	C0017601				
	C0013001	18,5" - 47 cm Slug			
	C0020600				
	C0017701	20" - 50 cm Slug			

BARREL - 20 GAUGE - 3" - MAGNUM CHAMBER

MODELS	CODE	BARREL	RIB	SIGHT	CHOKES - Crio
Raffaello Crio	C0089900	24" - 61 cm ◇	Carbon fibre low rib	Intermediate metallic sight + long red fibre optic	2 internal chokes modified (**); cylinder (****).
	C0090000	26" - 65 cm ◇			
	C0091100				
	C0090100	28" - 70 cm ◇			
	C0091500				
Raffaello Slug	C0053100	22" - 56 cm Slug	Carbon fibre short rib	Long red fibre optic + drilled and tapped cover (for scope mount)	Cylinder
Raffaello Sport Sport II	C0047300	28" - 70 cm	High rib	Intermediate metallic sight + short red	5 Knurled end chokes full (*); improved modified (**); modified (***) improved cylinder (****); cylinder (*****).

BARRELS

MODELS	CODE	BARREL	RIB	SIGHT	CHOKES - CRIOS
Cordoba	C0047200	28" - 70 cm	High rib	Intermediate metallic sight + short red	5 Knurled end chokes full (*); improved modified (**); modified (***); improved cylinder (****); cylinder (*****).
Duca di Montefeltro Comfort Montefeltro	C0086800	24" - 61 m	♦	Low rib	Intermediate metallic sight + short red
	C0041301	26" - 65 cm	♦		
	C0009301				
	C0086900	28" - 70 cm	♦		
M2	C0021002	24" - 61 cm	High rib	Intermediate metallic sight + short red	5 internal chokes full (*); improved modified (**); modified (***); improved cylinder (****); cylinder (*****).
	C0020902	26" - 65 cm			
M2 MAX 5	C0115700	26" - 65 cm	High rib	Intermediate metallic sight + short red	5 internal chokes full (*); improved modified (**); modified (***); improved cylinder (****); cylinder (*****).
	C0113300	28" - 70 cm			

BARREL ARGO-E

MODELS	CODE	GAUGE	BARREL	SIGHT
Argo R1	C0038600	30.06	20"	Without sight
Argo-E	C0038700	30.06	22"	Without sight
	C0041100	300 WM	20"	
	C0041200	300 WM	24"	
	C0044200	308 W	20"	
	C0104400	338 WM	24"	
	C0053600	9,3 x 62	22"	

STEEL SHOT

THE “STEEL LILY”

Every barrel presents a Fleur-de-Lys proof mark(♦) and are tested by the National Proof House for steel shot ammunition.

The Crio Steel Shot chokes feature lenghtened forcing cone to guarantee maximum ballistic performance and resistance when using Steel ammunition. Benelli advice: steel is less dense than lead which means steel shots are usually driven at lower velocities. It is suggested to shoot with bigger pellets when using "Steel Shot" cartridges.

For a performance similar to lead pellets, our advice is to use steel pellets two points less than lead pellets.

For example: If for the migratory bird early-season hunting you use lead cartridges No. 5, for "Steel Shot" cartridges go for No. 3.

Chokes M (***)/IC (****)/CYL (*****) are STEEL SHOT OK.
F (*)/IM (**) are STEEL SHOT OK only for the configurations Raffaello Power Bore 12 ga

The table below shows the recommended conversions.

STEEL SHOT TABLE OF CONVERSION

AMMUNITION (TYPE OF PELLET)	0	1	2	3	4	5	6	7	7 1/2	8	8 1/2	9
PELLET DIAMETER IN MM	3.9	3.7	3.5	3.3	3.1	2.9	2.7	2.5	2.4	2.3	2.2	2.1
LEAD PELLET WEIGHT IN GRAMS	0.34	0.29	0.25	0.21	0.17	0.14	0.11	0.09	0.08	0.07	0.06	0.05
STEEL PELLET WEIGHT IN GRAMS	0.24	0.20	0.17	0.14	0.12	0.09	0.08	0.06	0.05	0.05	0.04	0.04



The technical features and images in this catalog are purely approximate,
can be improved and / or changed at any time without notice.

Catalogue 2023

10
25



THE BEST WARRANTY
IN THE WORLD



This product has
been manufactured
by an ISO 9001,
ISO 14001
and ISO 45001
certified organization.



MIX
Paper from
responsible sources
FSC™ C107156

Benelli Armi S.p.A.

Via della Stazione, 50 61029 Urbino (PU) - Italy
ph. +39 0722 3071 - fax +39 0722 307 206
info@benelli.it

Benelli